

SUPER-X NON-CHLORINATED BRAKE CLEANER Safety Data Sheet

 Safety Data Sheet

 according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

 Date of issue: 02/11/2014
 Revision date: 01/11/2018
 Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: SUPER-X NON-CHLORINATED BRAKE CLEANER
Product code	: 830
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Brake and Parts Cleaner
1.3. Details of the supplier of the sat	fatu data shaat
The Penray Companies, Inc. 440 Denniston Ct. 60090 Wheeling T (800) 373-6729 rotto@penray.com	
1.4. Emergency telephone number	
Emergency number	: (800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr
SECTION 2: Hazards identification	n
2.1. Classification of the substance	or mixture
GHS-US classification	
Flammable Aerosol 1 Gases Under Pressure - Compressed Gas Skin irritation 2 Eye irritation 2A Reproductive toxicity 2 Specific target organ toxicity - Single exposu Specific target organ toxicity - Repeated exp Aspiration hazard 1	
2.2. Label elements	
GHS-US labelling Hazard pictograms (GHS-US)	:
_	: GHS02 GHS04 GHS07 GHS08 GHS08 GHS08
Hazard pictograms (GHS-US)	-
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	 Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	 Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Keep away from heat/sparks/open flames/hot surfacesNo smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If exposed or concerned: Get medical advice/attention. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Store locked up. Dispose of contents and container in accordance with all local, regional,
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	 Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Keep away from heat/sparks/open flames/hot surfacesNo smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If exposed or concerned: Get medical advice/attention. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

22 % of the mixture consists of ingredient(s) of unknown acute toxicity.

EN (English)



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Name	Product identifier	%	GHS-US classification
Acetone	(CAS No) 67-64-1	30 - 60	Flam. Liq. 2 Eye Irrit. 2A STOT SE 3
Heptane, branched, cyclic and linear	(CAS No) 426260-76-6	15 - 40	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
n-Heptane	(CAS No) 142-82-5	10 - 30	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	7 - 13	Flam. Liq. 3 Acute Tox. 4 (Dermal, Inhalation) Skin Irrit. 2
Carbon dioxide	(CAS No) 124-38-9	3 - 7	Compressed gas
Toluene	(CAS No) 108-88-3	1 - 5	Flam. Liq. 2 Acute Tox. 4 (Oral) Skin Irrit. 2 Repr. 2 STOT SE 3 STOT RE 2 Asp. Tox. 1

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measure	S
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries after inhalation	: Vapours may cause drowsiness and dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3. Advice for firefighters	
Firefighting instructions	: Cool closed containers exposed to fire with water.
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapours may be heavier than air and may travel along the ground to a distant ignition source and flash back.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

according to the Hazard Communication			
SECTION 6: Accidental			
		pment and emergency procedures	
General measures		unnecessary and unprotected person	ed in Section 8. Isolate the hazard area and deny entry to nel.
6.2. Methods and materia		01	
For containment			and/or absorb spill with inert material (e.g. sand, container. Do not flush to sewer or allow to enter waterways. Equipment (PPE).
Methods for cleaning up	:	Scoop up material and place in a disp	oosal container. Provide ventilation.
6.3. Reference to other s	ections		
See section 8 for further information	ation on protective of	clothing and equipment and section 13	for advice on waste disposal.
SECTION 7: Handling an	nd storage		
7.1. Precautions for safe			
Precautions for safe handling	:	ignition source. Pressurized container	No smoking. Do not spray on an open flame or other r: Do not pierce or burn, even after use. Avoid contact with to breathe gas, fumes, vapour or spray. When using do not rs or in a well-ventilated area.
Hygiene measures	:	Launder contaminated clothing before	e reuse. Wash hands before eating, drinking, or smoking.
		any incompatibilities	
Storage conditions		Keep locked up and out of reach of ch 122°F. Store away from direct sunligh Store in a well-ventilated place.	hildren. Do not expose to temperatures exceeding 50°C/ nt or other heat sources.
Storage area		Store in a well-ventilated place.	
7.3. Specific end use(s) Not available.			
SECTION 8: Exposure c	ontrols/perce	nal protection	
8.1. Control parameters			
Acetone (67-64-1)			
USA ACGIH	ACGIH TWA (pp	m)	500 ppm
USA ACGIH	ACGIH STEL (pp	,	750 ppm
USA OSHA	OSHA PEL (TWA	,	2400 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)		1000 ppm
n-Heptane (142-82-5)			
USA ACGIH	ACGIH TWA (pp	m)	400 ppm
USA ACGIH	ACGIH STEL (pp	,	500 ppm
USA OSHA	OSHA PEL (TWA		2000 mg/m ³
USA OSHA	OSHA PEL (TWA	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	500 ppm
	, , , , , , , , , , , , , , , , , , ,	/ M T /	
Xylenes (o-, m-, p- isomers)	1		400
USA ACGIH	ACGIH TWA (pp	,	100 ppm
USA ACGIH	ACGIH STEL (pp	,	150 ppm
USA OSHA	OSHA PEL (TWA	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	435 mg/m ³
USA OSHA	OSHA PEL (TWA	A) (ppm)	100 ppm
Carbon dioxide (124-38-9)			
USA ACGIH	ACGIH TWA (pp	m)	5000 ppm
USA ACGIH	ACGIH STEL (pp	pm)	30000 ppm
USA OSHA	OSHA PEL (TWA	A) (mg/m ³)	9000 mg/m ³
USA OSHA	OSHA PEL (TWA	A) (ppm)	5000 ppm
Toluene (108-88-3)			
USA ACGIH	ACGIH TWA (pp	m)	20 ppm
USA OSHA	OSHA PEL (TWA	A) (ppm)	200 ppm
USA OSHA	OSHA PEL (STE	L) (ppm)	150 ppm
	1		



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Toluene (108-88-3)				
USA OSHA	OSHA PEL (Ceilir	ng) (ppm)	300 ppm	
8.2. Exposure controls				
Appropriate engineering controls	s :	Use ventilation adequate to keep export recommended exposure limits.	osures (airborne levels of dust, fume, vapor, etc.) below	
Personal protective equipment	:	Avoid all unnecessary exposure.		
Hand protection	:	: Chemical-resistant gloves.		
Eye protection	:	: Safety glasses or goggles are recommended when using product.		
Skin and body protection	:	: Wear suitable protective clothing.		
Respiratory protection	:	exposure limits may be exceeded. Re	nmended in poorly ventilated areas or when permissible spirator selection must be based on known or anticipated oduct and the safe working limits of the selected respirator.	
Environmental exposure control	Environmental exposure controls : Maintain levels below Community environmental protection thresholds.		ironmental protection thresholds.	
Other information	:		rial is handled, processed or stored. Wash hands carefully rding to established industrial hygiene and safety practices.	

9.1.	Information on ba	sic physical and chemical properties
Physic	al state	: Gas/Pressurized Liquid.
Appea	rance	: Clear.
Colour		: Colourless.
Odour		: Solvent.
Odour	threshold	· No data available

SECTION 9: Physical and chemical properties

Odour threshold	: No data available.
рН	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: No data available.
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: No data available.
Solubility	: No data available.
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

Other information 9.2.

No additional information available

SECTION	10: Stability and reactivity
10.1. Re	activity
No dangerou	is reaction known under conditions of normal use.
10.2. Ch	emical stability
Stable under Do not burn.	normal storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture.
10.3. Po	ssibility of hazardous reactions
No dangerou	is reaction known under conditions of normal use.
10.4. Co	nditions to avoid
Heat. Incomp	patible materials. Sources of ignition.
10.5. Inc	compatible materials
Strong oxidiz	ing agents.

EN (English)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

10.6. Hazardous decomposition products	
May include, and are not limited to: oxides of carb	on.
SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
Acute toxicity	: Based on available data, the classification criteria are not met.
830	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
Acetone (67-64-1)	
LD50 oral rat	5800 mg/kg
LC50 inhalation rat (mg/l)	50100 mg/m³/8h
n-Heptane (142-82-5)	
LD50 dermal rabbit	3000 mg/kg
LC50 inhalation rat (mg/l)	103 g/m³/4h
Xylenes (o-, m-, p- isomers) (1330-20-7)	
LD50 oral rat	4300 mg/kg
LD50 dermal rabbit	> 1700 mg/kg
ATE (dust,mist)	1.5 mg/l/4h
Toluene (108-88-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	12124 mg/kg
LD50 dermal rabbit	8390 mg/kg
LC50 inhalation rat (mg/l)	28.1 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Xylenes (o-, m-, p- isomers) (1330-20-7)	
IARC group	3
Toluene (108-88-3)	1
IARC group	3
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure
Aspiration hazard	: May be fatal if swallowed and enters airways
Symptoms/injuries after inhalation	: Vapours may cause drowsiness and dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
12.2. Persistence and degradability	
830	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
830	
000	

Bioaccumulative potential

EN (English)

Not established.



Safety Data Sheet	ORINATED BRAKE CLEANER
ccording to the Hazard Communication Standard	(CFR29 1910.1200) HazCom 2012.
12.4. Mobility in soil	
No additional information available	
2.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consider	ations
3.1. Waste treatment methods	
Vaste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal
	regulations. The generation of waste should be avoided or minimized wherever possible.
dditional information	: Flammable vapours may accumulate in the container. Do not incinerate closed containers.
SECTION 14: Transport informa	tion
n accordance with DOT:	
4.1. UN number	
JN-No.	UN1950
4.2. UN proper shipping name	
	· Accords flowmable (and not exceeding 1.1, conseits)
Proper Shipping Name	: Aerosols, flammable, (each not exceeding 1 L capacity)
łazard Classes łazard labels	2.1
4.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory inform	ation
5.1. US Federal regulations	
This product is not for sale in the f	following states: CA, UT, NH, DE, MD
Acetone (67-64-1)	
Listed on the United States TSCA (Toxic	Substances Control Act) inventory
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
Heptane, branched, cyclic and linear (4	126260-76-6)
Listed on the United States TSCA (Toxic	
Xylenes (o-, m-, p- isomers) (1330-20-7	
Listed on the United States TSCA (Toxic	•
Listed on SARA Section 313 (Specific tox	
SARA Section 313 - Emission Reporting	1.0 %
n-Heptane (142-82-5)	
Listed on the United States TSCA (Toxic	Substances Control Act) inventory
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA. Toluene (108-88-3) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings) SARA Section 313 - Emission Reporting 1.0 % Carbon dioxide (124-38-9) Listed on the United States TSCA (Toxic Substances Control Act) inventory 15.2. US State regulations 830() State or local regulations This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

IARC (I)	International Agency for Research on Cancer.
	 Carcinogenic to humans; Probably carcinogenic to humans; Possibly carcinogenic to humans; Not classifiable; Probably not carcinogenic to humans.

EN (English)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

IARC (I)	International Agency for Research on Cancer.
NTP (N)	National Toxicology Program.
	 Evidence of Carcinogenicity; Known Human Carcinogens; Reasonably anticipated to be Human Carcinogen; Substances delisted from report on Carcinogens; Twelfth Report - Items under consideration.

ne.
ne.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

