claire

SAFETY DATA SHEET

1. Identification

| Product number | 1000004817 |
|-----------------------------------|---|
| Product identifier | DUTCH APPLE 9000 SHOT |
| Company information | Claire Manufacturing Co. 1005 S. Westgate Drive Addison, IL 60101 United States |
| Company phone | General Assistance 1-630-543-7600 |
| Emergency telephone US | 1-866-836-8855 |
| Emergency telephone outside US | 1-952-852-4646 |
| Version # | 01 |
| Recommended use | Air freshener |
| Recommended restrictions | None known. |
| 2. Hazard(s) identification | |

| Physical hazards | Flammable aerosols | Category 1 |
|-----------------------|---|-----------------------------|
| Health hazards | Serious eye damage/eye irritation | Category 2A |
| | Specific target organ toxicity, single exposure | Category 3 narcotic effects |
| | Aspiration hazard | Category 1 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| Label elements | | |



| | • • • • |
|--|--|
| Signal word | Danger |
| Hazard statement | Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause drowsiness or dizziness. |
| Precautionary statement | |
| Prevention | Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye/face protection. |
| Response | If swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting. If eye irritation persists: Get medical advice/attention. |
| Storage | Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--------------------|--------------------------|------------|---------|
| 1,1-Difluoroethane | | 75-37-6 | 40 - 60 |

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|----------|
| Isopropyl Alcohol | | 67-63-0 | 20 - 40 |
| Distillates (Petroleum), Hydrotreated Light | | 64742-47-8 | 10 - 20 |
| Other components below reportable leve | els | | 2.5 - 10 |

#: This substance has workplace exposure limit(s).

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. First-aid measures | |
|--|--|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or Poison Control Center immediately. Call a POISON CENTER or doctor/physician if you feel unwell. |
| Skin contact | Wash off with soap and water. Call a physician or Poison Control Center immediately. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Call a physician or Poison Control Center immediately. |
| Ingestion | Call a physician or poison control center immediately. Rinse mouth thoroughly. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Most important symptoms/effects, acute and delayed | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | Immediate medical attention is required. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |
| 5. Fire-fighting measures | |
| Suitable extinguishing media | Alcohol resistant foam. Water fog. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | Contents under pressure. Pressurized container may explode when exposed to heat or flame. Fire may produce irritating, corrosive and/or toxic gases. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. |
| Fire-fighting equipment/instructions | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if |

ctions face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

| Methods and materials for containment and cleaning up | Refer to attached safety data sheets and/or instructions for use. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep out of low areas. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water . |
|---|--|
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 7. Handling and storage | |
| Precautions for safe handling | Vapors may form explosive mixtures with air. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not breathe mist or vapor. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in area provided with appropriate exhaust ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. |
| Conditions for safe storage, | Level 1 Aerosol. |
| including any incompatibilities | Keep locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. The pressure in sealed containers can increase under the influence of heat. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 1 Aerosol (NFPA 30B) |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | , Value | |
|-------------------------------------|---|------------|--|
| Isopropyl Alcohol (CAS 67-63-0) | PEL | 980 mg/m3 | |
| | | 400 ppm | |
| US. ACGIH Threshold Limit Value | es estatution estatu | | |
| Components | Туре | Value | |
| Isopropyl Alcohol (CAS 67-63-0) | STEL | 400 ppm | |
| , | TWA | 200 ppm | |
| US. NIOSH: Pocket Guide to Che | mical Hazards | | |
| Components | Туре | Value | |
| Isopropyl Alcohol (CAS 67-63-0) | STEL | 1225 mg/m3 | |
| | | 500 ppm | |
| | TWA | 980 mg/m3 | |
| | | 400 ppm | |
| US. Workplace Environmental Ex | posure Level (WEEL) Guides | | |
| Components | Туре | Value | |
| 1,1-Difluoroethane (CAS 75-37-6) | TWA | 2700 mg/m3 | |
| | | 1000 ppm | |

| Components | Value | Determinant | Specimen | Sampling Time |
|------------------------------------|--|--|---|---|
| Isopropyl Alcohol (CAS 67-63-0) | 40 mg/l | Acetone | Urine | * |
| * - For sampling details, pl | ease see the source | document. | | |
| ppropriate engineering ontrols | should be mate or other engine exposure limits | ched to conditions. If ap eering controls to mainta | plicable, use pro ain airborne leve shed, maintain ai | hour) should be used. Ventilation rates ocess enclosures, local exhaust ventilation, Is below recommended exposure limits. If irborne levels to an acceptable level. Ensure vide eyewash station. |
| dividual protection measur | es, such as person | al protective equipme | ent | |
| Eye/face protection | Wear tight-fittir facepiece. | ng goggles or face shiel | d. Chemical resp | pirator with organic vapor cartridge and full |
| Hand protection | Wear appropria | ate chemical resistant g | loves. | |
| Skin protection | | | | |
| Other | Wear suitable | protective clothing. | | |
| Respiratory protection | Chemical respi | Chemical respirator with organic vapor cartridge and full facepiece. | | |
| Thermal hazards | Wear appropria | ate thermal protective c | lothing, when ne | cessary. |
| eneral hygiene onsiderations | contact with sk handling the m | in. Always observe goo | d personal hygie g, drinking, and/ | get this material in contact with skin. Avoid one measures, such as washing after or smoking. Routinely wash work clothing |

9. Physical and chemical properties

| 9. Physical and chemical | bioperties |
|--|---|
| Appearance | Compressed liquefied gas. |
| Physical state | Liquid. |
| Form | Aerosol. |
| Color | Clear. |
| Odor | fruity |
| Odor threshold | Not available. |
| рН | Not Applicable estimated |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | -58.0 °F (-50.0 °C) Propellant) estimated |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | 3.9 % estimated |
| Flammability limit - upper (%) | 15.3 % estimated |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | 50 - 70 psig @ 70F estimated |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | 769.7 °F (409.83 °C) estimated |
| Decomposition temperature | Not available. |
| | |

| Viscosity | Not available. |
|-------------------|---------------------------|
| Other information | |
| Density | 0.71 g/cm3 estimated |
| Percent volatile | 82 % estimated |
| Specific gravity | 0.799 estimated estimated |
| VOC (Weight %) | 40.83 % estimated |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Risk of ignition. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Acids. Strong oxidizing agents. Isocyanates. Chlorine. Do not mix with other chemicals. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| Ingestion | Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. |
|--|--|
| Inhalation | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Narcotic effects. Prolonged inhalation may be harmful. |
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Causes serious eye irritation. |
| Symptoms related to the physical, chemical and toxicological characteristics | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
| 1.6 | |

Information on toxicological effects

| Acute toxicity | May be fatal if swallowed and en | May be fatal if swallowed and enters airways. Narcotic effects. | |
|------------------------------|----------------------------------|---|--|
| Product | Species Test Results | | |
| DUTCH APPLE 9000 SHO | T (CAS Mixture) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rat | 11297 mg/kg | |
| Inhalation | | | |
| LC50 | Rat | 33 mg/l/4h | |
| Components | Species | Test Results | |
| 1,1-Difluoroethane (CAS 7 | 5-37-6) | | |
| Acute | | | |
| Inhalation | | | |
| LC50 | Rat | 44 - 437500 %, 4 Hours | |
| Distillates (Petroleum), Hyd | rotreated Light (CAS 64742-47-8) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | > 2000 mg/kg | |
| | | > 2000 mg/kg, 24 Hours | |
| Inhalation | | | |
| LC50 | Rat | > 7.5 mg/l, 6 Hours | |
| | | > 4.6 mg/l, 4 Hours | |
| Oral | | ······································ | |
| LD50 | Rat | > 5000 mg/kg | |
| 2000 | | | |

| Components | Species | Test Results |
|--|--|----------------------|
| Isopropyl Alcohol (CAS 67-63-0) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 16.4 ml/kg, 24 Hours |
| Inhalation | | |
| LC50 | Rat | > 10000 ppm, 6 Hours |
| Oral | | |
| LD50 | Rat | 5.84 g/kg |
| * Estimates for product may b | e based on additional component data not shown. | |
| Skin corrosion/irritation | Not applicable. | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | |
| Respiratory or skin sensitizatio | n | |
| Respiratory sensitization | Not available. | |
| Skin sensitization | Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. | |
| OSHA Specifically Regulate | ed Substances (29 CFR 1910.1001-1050) | |
| Not listed. | | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | |
| Specific target organ toxicity - single exposure | May cause drowsiness and dizziness. | |
| Specific target organ toxicity - repeated exposure | Not classified. | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | |
| Chronic effects | Prolonged inhalation may be harmful. | |
| | | |

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product | | Species | Test Results |
|-------------------------|---------------------|---|--------------------------|
| DUTCH APPLE 9000 | SHOT (CAS Mixtur | e) | |
| Aquatic | | | |
| Algae | IC50 | Algae | 3702 mg/L, 72 Hours |
| Crustacea | EC50 | Daphnia | 49233 mg/L, 48 Hours |
| Fish | LC50 | Fish | 330 mg/L, 96 Hours |
| Components | | Species | Test Results |
| Distillates (Petroleum) | , Hydrotreated Ligh | t (CAS 64742-47-8) | |
| Aquatic | | | |
| Fish | LC50 | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 2.9 mg/l, 96 hours |
| Isopropyl Alcohol (CAS | S 67-63-0) | | |
| Aquatic | | | |
| Algae | IC50 | Algae | 1000.0001 mg/L, 72 Hours |
| Crustacea | EC50 | Daphnia | 13299 mg/L, 48 Hours |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | > 1400 mg/l, 96 hours |

No data is available on the degradability of this product. Persistence and degradability

| Partition coefficient n-o | ctanol / water (log Kow) | |
|---------------------------|---|--|
| 1,1-Difluoroethane | 0.75 | |
| Isopropyl Alcohol | 0.05 | |
| Mobility in soil | No data available. | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | |

13. Disposal considerations

| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations. |
|--|---|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers. |

14. Transport information

| n | n | т |
|---|---|---|
| υ | υ | |

| UN number UN proper shipping name Transport hazard class(es) | UN1950 Aerosols, flammable, (each not exceeding 1 L capacity) |
|--|---|
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| Packing group | Not applicable. |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Special provisions | N82 |
| Packaging exceptions | 306 |
| Packaging non bulk | None |
| Packaging bulk | None |

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

ΙΑΤΑ

| IATA | |
|------------------------------|---|
| UN number | UN1950 |
| UN proper shipping name | Aerosols, flammable |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| Packing group | Not applicable. |
| Environmental hazards | No. |
| ERG Code | 10L |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo | Allowed. |
| aircraft | |
| Cargo aircraft only | Allowed. |
| Packaging Exceptions | LTD QTY |
| IMDG | |
| UN number | UN1950 |
| UN proper shipping name | AEROSOLS |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| | |

2.1 Label(s) Packing group Not applicable. **Environmental hazards** Marine pollutant No. EmS F-D, S-U Special precautions for user Read safety instructions, SDS and emergency procedures before handling. **Packaging Exceptions** LTD QTY Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) **Hazard categories** Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

1,1-Difluoroethane (CAS 75-37-6)

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

1,1-Difluoroethane (CAS 75-37-6) Isopropyl Alcohol (CAS 67-63-0)

US. New Jersey Worker and Community Right-to-Know Act

1,1-Difluoroethane (CAS 75-37-6) Isopropyl Alcohol (CAS 67-63-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Isopropyl Alcohol (CAS 67-63-0)

US. Rhode Island RTK

1,1-Difluoroethane (CAS 75-37-6)

Isopropyl Alcohol (CAS 67-63-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 05-25-2015 |
|------------|--|
| Version # | 01 |
| Disclaimer | The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. |