

Revision Date: 07/17/2019

SAFETY DATA SHEET

1. Identification

Product identifier: MICRO METER SPICY CINNAMON AIR FRESHENER

Other means of identification

SDS number: RE1000004325

Recommended restrictions

Product use: Air Freshener Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 1000 Integram Dr

Pacific, MO 63069

Telephone: 1-630-543-7600

Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A
Skin sensitizer Category 1
Specific Target Organ Toxicity - Category 3¹

Single Exposure

Target Organs

Narcotic effect.

Label Elements

Hazard Symbol:



Signal Word:

Danger



Revision Date: 07/17/2019

Hazard Statement: Extremely flammable aerosol.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Use only outdoors

or in a well-ventilated area.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with

plenty of water/... If skin irritation or rash occurs: Get medical

advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Wash contaminated clothing before reuse.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanone	67-64-1	50 - <100%
Propane	74-98-6	10 - <20%
Butane	106-97-8	10 - <20%
2-Propenal, 3-phenyl-	104-55-2	1 - <5%
Benzoic acid, phenylmethyl ester	120-51-4	1 - <5%
Oils, cinnamon	8015-91-6	0.1 - <1%
Proprietary		0.1 - <1%
2H-1-Benzopyran-2-one	91-64-5	0.1 - <1%
Phenol, 2-methoxy-4-(1-propen-1-yl)-	97-54-1	0.1 - <1%
Phenol, 2-methoxy-4-(2-propen-1-yl)-	97-53-0	0.1 - <1%
Ethanol, 2,2',2"-nitrilotris-	102-71-6	0 - <0.1%
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	80-56-8	0 - <0.1%
Ethanol, 2,2'-iminobis-	111-42-2	0 - <0.1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.



Revision Date: 07/17/2019

4. First-aid measures

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Inhalation: Move to fresh air.

Skin Contact: If skin irritation occurs: Get medical advice/attention. Destroy or thoroughly

clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an

allergic skin reaction develops, get medical attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing

SDS_US - RE1000004325



Revision Date: 07/17/2019

appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

7. Handling and storage

Precautions for safe handling: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away

> from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage,

including any incompatibilities: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 3

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Lir	nit Values	Source
2-Propanone	STEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	750 ppm	1,780 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	PEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	250 ppm		US. ACGIH Threshold Limit Values (03 2015)
	TWA	750 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	3,000 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	STEL	500 ppm		US. ACGIH Threshold Limit Values (03 2015)
	TWA PEL	500 ppm	1,200 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	REL	250 ppm	590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA PEL	1,000 ppm	1,800 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)



Revision Date: 07/17/2019

TWA	Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
STEL 1,000 ppm 1,900 mg/m US, ACGIH Threshold Limit Values (03 26 Mg)		TWA	800 ppm	1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
AN ESL 3,000 ppb U.S. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016)		STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
Commission on Environmental Quality) (1 2016) AN ESL			800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Commission on Environmental Quality) (1 2016) ST ESL					
Section 5155. Airborne Contaminants (09 2006) ST ESL					Commission on Environmental Quality) (11 2016)
Bicyclo[3.1.1]hept-2-ene, 2.6.6-trimethyl- ST ESL ST ESL ST ESL St Esc Ediformation on Environmental Quality) (1 2016)			800 ppm		Section 5155. Airborne Contaminants (09 2006)
Commission on Environmental Quality) (1 2016)				μg/m3	Commission on Environmental Quality) (11 2016)
Section 5155. Airborne Contaminants (09 2006) ST ESL TWA TWA 5 mg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) Bicyclo[3.1.1]hept-2-ene, 2,6.6-trimethyl- ST ESL 3.500 μg/m3 US. ACGIH Threshold Limit Values (2008) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) Bicyclo[3.1.1]hept-2-ene, 2,6.6-trimethyl- ST ESL 3.500 μg/m3 US. ACGIH Threshold Limit Values (2008) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) ST ESL 3.500 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL 4N ESL 350 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. NEXAS. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. NEXAS. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. OSHA Table Z-1-A (29 CFR 1910.100 (1989) US. California Code of Regulations, Title & Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. California Code of Regulations, Title & Section 5155. Airborne Contaminants (09 2006) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016)					Commission on Environmental Quality) (11 2016)
TWA 5 mg/m3 US. ACGIH Threshold Limit Values (2008)	Ethanol, 2,2',2"-nitrilotris-				Section 5155. Airborne Contaminants (09 2006)
AN ESL Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl- ST ESL ST ESL 3,500 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. ACGIH Threshold Limit Values (2008) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL AN ESL AN ESL AN ESL AN ESL AN ESL Bign/m3 AN ESL AN		ST ESL			Commission on Environmental Quality) (11 2016)
Commission on Environmental Quality) (1 2016) Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl- ST ESL 3,500 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) ST ESL 630 ppb US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL 63 ppb US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL 350 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL 3 ppm US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- REL 3 ppm 15 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) TWA 3 ppm 15 mg/m3 US. California Code of Regulations, Title (1989) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Qu		TWA		5 mg/m3	US. ACGIH Threshold Limit Values (2008)
2,6,6-trimethyl- ST ESL 3,500 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) ST ESL 630 ppb US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL 63 ppb US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL 350 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- REL 3 ppm 15 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005) AN ESL 7 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) TWA 3 ppm 15 mg/m3 US. OSHA Table Z-1-A (29 CFR 1910.100 (1989) TWA PEL 0.46 ppm 2 mg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. California Code of Regulations, Title & Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- Inhalable fraction and vapor. Ethanol, 2,2'-iminobis- Inhalable fraction and vapor. TWA 3 ppm 15 mg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. ACGIH Threshold Limit Values (2009)		AN ESL		5 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Commission on Environmental Quality) (1 2016) ST ESL 630 ppb US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL 63 ppb US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) AN ESL 350 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- REL 3 ppm 15 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005) AN ESL 7 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) TWA 3 ppm 15 mg/m3 US. OSHA Table Z-1-A (29 CFR 1910.100 (1989) TWA PEL 0.46 ppm 2 mg/m3 US. California Code of Regulations, Title & Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016) US. Texas. Effects Screening Levels (Tex Commission on Environmental Quality) (1 2016)		TWA	20 ppm		US. ACGIH Threshold Limit Values (2008)
Commission on Environmental Quality) (1 2016) AN ESL BETHANOI, 2,2'-iminobis- AN ESL AN E		ST ESL		3,500 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Commission on Environmental Quality) (1 2016) AN ESL 350 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- REL 3 ppm 15 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005) AN ESL 7 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) TWA 3 ppm 15 mg/m3 US. OSHA Table Z-1-A (29 CFR 1910.100 (1989) TWA PEL 0.46 ppm 2 mg/m3 US. California Code of Regulations, Title & Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- TWA 1 mg/m3 US. ACGIH Threshold Limit Values (2009) Ethanol, 2,2'-iminobis- TWA 3 ppm 15 mg/m3 US. Tennessee. OELs. Occupational Expert		ST ESL		630 ppb	
Ethanol, 2,2'-iminobis- REL 3 ppm 15 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005) AN ESL 7 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) TWA 3 ppm 15 mg/m3 US. OSHA Table Z-1-A (29 CFR 1910.100 (1989) TWA PEL 0.46 ppm 2 mg/m3 US. California Code of Regulations, Title 8 Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex. Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- TWA 1 mg/m3 US. ACGIH Threshold Limit Values (2009) Ethanol, 2,2'-iminobis- TWA 3 ppm 15 mg/m3 US. Tennessee. OELs. Occupational Expo		AN ESL			Commission on Environmental Quality) (11 2016)
Hazards (2005) AN ESL 7 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) TWA 3 ppm 15 mg/m3 US. OSHA Table Z-1-A (29 CFR 1910.100 (1989) TWA PEL 0.46 ppm 2 mg/m3 US. California Code of Regulations, Title 8 Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- TWA 1 mg/m3 US. ACGIH Threshold Limit Values (2009) Ethanol, 2,2'-iminobis- TWA 3 ppm 15 mg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016)		AN ESL		350 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Commission on Environmental Quality) (1 2016) TWA 3 ppm 15 mg/m3 US. OSHA Table Z-1-A (29 CFR 1910.100 (1989) TWA PEL 0.46 ppm 2 mg/m3 US. California Code of Regulations, Title 8 Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- TWA 1 mg/m3 US. ACGIH Threshold Limit Values (2009) Ethanol, 2,2'-iminobis- TWA 3 ppm 15 mg/m3 US. Tennessee. OELs. Occupational Expo	Ethanol, 2,2'-iminobis-		3 ppm		Hazards (2005)
TWA PEL 0.46 ppm 2 mg/m3 US. California Code of Regulations, Title 8 Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- TWA 1 mg/m3 US. ACGIH Threshold Limit Values (2009) Ethanol, 2,2'-iminobis- TWA 3 ppm 15 mg/m3 US. Tennessee. OELs. Occupational Expo					
Section 5155. Airborne Contaminants (09 2006) ST ESL 97 μg/m3 US. Texas. Effects Screening Levels (Tex. Commission on Environmental Quality) (1 2016) Ethanol, 2,2'-iminobis- TWA 1 mg/m3 US. ACGIH Threshold Limit Values (2009) Inhalable fraction and vapor. Ethanol, 2,2'-iminobis- TWA 3 ppm 15 mg/m3 US. Tennessee. OELs. Occupational Expo					1 \ /
Ethanol, 2,2'-iminobis- TWA			0.46 ppm	_	2006)
Inhalable fraction and vapor. Ethanol, 2,2'-iminobis- TWA 3 ppm 15 mg/m3 US. Tennessee. OELs. Occupational Expo					Commission on Environmental Quality) (11 2016)
	Inhalable fraction and vapor.				,
	Ethanol, 2,2'-iminobis-	TWA	3 ppm	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL (03 2015)



Revision Date: 07/17/2019

Appropriate Engineering

No data available.

Controls

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure

limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels

to an acceptable level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke. Contaminated work clothing should not be allowed out

of the workplace. Avoid contact with skin.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol Color: No data available. Odor: No data available. Odor threshold: No data available. :Ha No data available. Melting point/freezing point: No data available. Initial boiling point and boiling range: No data available. Flash Point: -104.44 °C

Evaporation rate:No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

No data available.

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure: 3,102.6408 - 4,481.5922 hPa (20 °C)

Vapor density:No data available.Density:No data available.



Revision Date: 07/17/2019

Relative density: No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
No data available.
No data available.
No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: ATEmix: 27,471.18 mg/kg



Revision Date: 07/17/2019

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product: No data available.

Other effects: No data available.



Revision Date: 07/17/2019

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

2-Propanone No data available.
Propane No data available.
Butane No data available.
2-Propenal, 3-phenylBenzoic acid, phenylmethyl No data available.
No data available.

ester

Oils, cinnamon
Proprietary
2H-1-Benzopyran-2-one
Phenol, 2-methoxy-4-(1No data available.
No data available.
No data available.

propen-1-yl)-

Phenol, 2-methoxy-4-(2- No data available.

propen-1-yl)-

Ethanol, 2,2',2"-nitrilotris- No data available. Bicyclo[3.1.1]hept-2-ene, No data available.

2,6,6-trimethyl-

Ethanol, 2,2'-iminobis- No data available.



Revision Date: 07/17/2019

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): –

EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –
Packing Group: –

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.



Revision Date: 07/17/2019

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
2-Propanone	lbs. 5000
Propane	lbs. 100
Butane	lbs. 100
Bicyclo[3.1.1]hept-2-ene,	lbs. 100
2,6,6-trimethyl-	
Ethanol, 2,2'-iminobis-	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

Immediate (Acute) Health Hazards

Flammable aerosol

Serious Eye Damage/Eye Irritation

Skin sensitizer

Specific Target Organ Toxicity - Single Exposure

SARA 302 Extremely Hazardous Substance

Reportable

<u>Chemical Identity</u> <u>quantity</u> <u>Threshold Planning Quantity</u>

2-Propanone

SARA 304 Emergency Release Notification

Chemical Identity	Reportable quantity
2-Propanone	lbs. 5000
Propane	lbs. 100
Butane	lbs. 100
Ethanol, 2-phenoxy-	
Bicyclo[3.1.1]hept-2-ene,	lbs. 100
2,6,6-trimethyl-	
Ethanol, 2,2'-iminobis-	lbs. 100

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
2-Propanone	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
2-Propenal, 3-phenyl-	10000 lbs
Benzoic acid,	10000 lbs
phenylmethyl ester	
Oils, cinnamon	10000 lbs
Proprietary	10000 lbs
2H-1-Benzopyran-2-one	10000 lbs
Phenol, 2-methoxy-4-(1-	10000 lbs
propen-1-yl)-	
Phenol, 2-methoxy-4-(2-	10000 lbs
propen-1-yl)-	
Ethanol, 2,2',2"-nitrilotris-	10000 lbs



Revision Date: 07/17/2019

Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-

10000 lbs

Ethanol, 2,2'-iminobis-

10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethanol, 2,2'-iminobis- Carcinogenic. 07 2012

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

2-Propanone Propane Butane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

2-Propanone Propane Butane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

2-Propanone

Stockholm convention

2-Propanone

Rotterdam convention

2-Propanone

Kyoto protocol



Revision Date: 07/17/2019

Inventory Status:

Canada DSL Inventory List:

On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: Not in compliance with the inventory.

Canada NDSL Inventory: Not in compliance with the inventory.

US TSCA Inventory: On or in compliance with the inventory

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ: Not in compliance with the inventory.

Australia AICS: On or in compliance with the inventory

China Inv. Existing Chemical Substances:

On or in compliance with the inventory

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory

Philippines PICCS: On or in compliance with the inventory

New Zealand Inventory of Chemicals: On or in compliance with the inventory

Ontario Inventory: On or in compliance with the inventory

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date: 07/17/2019

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.