

Revision Date: 11/04/2020

# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

## 1. Identification

Product identifier: FLYING INSECT KILLER II - EPA#46813-68

Other means of identification

**SDS number:** RE1000044532

Recommended restrictions
Recommended use: Pesticide
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 1000 Integram Dr

Pacific, MO 63069

US

Telephone: 1-630-543-7600

Emergency telephone number: 1-866-836-8855

# 2. Hazard(s) identification

#### **Hazard Classification**

**Physical Hazards** 

Flammable aerosol Category 1

**Health Hazards** 

Aspiration Hazard Category 1

**Environmental Hazards** 

Acute hazards to the aquatic Category 1

environment

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Extremely flammable aerosol.

May be fatal if swallowed and enters airways.

Very toxic to aquatic life.



Revision Date: 11/04/2020

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the

environment.

Response: IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT

induce vomiting. Collect spillage.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light	64742-47-8	20 - <50%
Butane	106-97-8	10 - <20%
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	51-03-6	5 - <10%
Pyrethrins	8003-34-7	1 - <5%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

# 4. First-aid measures

# Description of necessary first-aid measures

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash skin thoroughly with soap and water. Get medical attention if

symptoms occur.

**Eye contact:** Any material that contacts the eye should be washed out immediately

with water. If easy to do, remove contact lenses. If eye irritation

persists: Get medical advice/attention.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth.

Never give liquid to an unconscious person. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

**Personal Protection for First-**

aid Responders:

Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

## Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.



Revision Date: 11/04/2020

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Accidental release measures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

# 7. Handling and storage

#### Handling

Technical measures (e.g. Local and general ventilation):

No data available.



Revision Date: 11/04/2020

Safe handling advice: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

**Contact avoidance measures:** No data available.

Storage

Safe storage conditions: Store locked up. Pressurized container: protect from sunlight and do not

expose to temperatures exceeding 50°C. Do not pierce or burn, even after

use. Aerosol Level 2

**Safe packaging materials:** No data available.

Storage Temperature: No data available.

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure L	imit Values	Source
Distillates (petroleum), hydrotreated light	REL		100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA	200 mg/m3 US. ACGIH Threshold Limit Values,		US. ACGIH Threshold Limit Values, as amended
	TWA		200 mg/m3	US. ACGIH Threshold Limit Values, as amended
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
				amended
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as
				amended
Pyrethrins REL 5 mg/m3 US.		US. NIOSH: Pocket Guide to Chemical Hazards, as		
				amended
	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as
				amended
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants
				(29 CFR 1910.1000), as amended

**Exposure guidelines** 

Distillates (petroleum),	US. ACGIH Threshold Limit Values, as	Can be absorbed through
hydrotreated light	amended	the skin.
	US. ACGIH Threshold Limit Values, as	Can be absorbed through
	amended	the skin.

**Appropriate Engineering** 

**Controls** 

No data available.

Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** No data available.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.



Revision Date: 11/04/2020

**Hygiene measures:** Observe good industrial hygiene practices. When using do not smoke.

#### 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Spray Aerosol Form: Color: No data available. Odor: No data available. Odor Threshold: No data available. pH: No data available. Freezing point: No data available. **Boiling Point:** No data available. **Flash Point:** No data available. **Evaporation Rate:** No data available. Flammability (solid, gas): No data available. **Explosive limit - upper (%):** Estimated 9.5 %(V) **Explosive limit - lower (%):** Estimated 1.9 %(V)

**Vapor pressure:** 4,481 - 5,171 hPa (20 °C)

Vapor density (air=1): No data available. Density: No data available. Relative density: No data available. Solubility in Water: No data available. Solubility (other): No data available. Partition coefficient (n-octanol/water): No data available. **Self Ignition Temperature:** No data available. **Decomposition Temperature:** No data available. Kinematic viscosity: No data available. Dynamic viscosity: No data available. **Explosive properties:** No data available. Oxidizing properties: No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** No data available.



Revision Date: 11/04/2020

**Skin Contact:** No data available.

No data available. **Eve contact:** 

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 23,333.33 mg/kg

Dermal

**Product:** ATEmix: 3,846.18 mg/kg

Inhalation

**Product:** ATEmix: 611.11 mg/l Vapour

ATEmix: 166.67 mg/l Dusts, mists and fumes

Repeated dose toxicity

**Product:** No data available.

Components:

Distillates (petroleum), NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation

hydrotreated light Experimental result, Key study

NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result,

Key study

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

1,3-Benzodioxole, 5-[[2-

NOAEL (Rat(Female, Male), Oral, 28 - 31 d): 125 mg/kg Oral Experimental

result, Supporting study

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

(2-

Skin Corrosion/Irritation **Product:** No data available.

Components:

Distillates (petroleum),

hydrotreated light

in vivo (Rabbit): Not irritant

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Components:

Distillates (petroleum),

hydrotreated light

Rabbit, 24 - 72 hrs: Not irritating



Revision Date: 11/04/2020

#### **Respiratory or Skin Sensitization**

**Product:** No data available.

**Components:** 

Distillates (petroleum), hydrotreated light

Skin sensitization:, in vivo (Guinea pig): Non sensitising

Skin sensitization:, in vivo (Guinea pig): Non sensitising

1,3-Benzodioxole, 5-[[2-

(2-

butoxyethoxy)ethoxy]m

ethyl]-6-propyl-

Carcinogenicity

**Product:** No data available.

# IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

# **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

# **Germ Cell Mutagenicity**

In vitro

Product: No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Components:

Distillates (petroleum),

May be fatal if swallowed and enters airways.

hydrotreated light

Other effects: No data available.

# 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

**Components:** 

LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study Butane



Revision Date: 11/04/2020

1,3-Benzodioxole, 5-[[2-

(2-

LC 50 (Oncorhynchus mykiss, 96 h): 6.12 mg/l Experimental result, Key

study

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

NOAEL (96 h): 0.625 mg/l Experimental result, Key study

Pyrethrins LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 0.02 -

0.03 mg/l Mortality

**Aquatic Invertebrates** 

Product:

No data available.

Components:

Butane

LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

1,3-Benzodioxole, 5-[[2-

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

EC 50 (Daphnia magna, 48 h): 510  $\mu$ g/l Experimental result, Key study

Pyrethrins EC 50 (Water flea (Daphnia), 48 h): 0.018 - 0.032 mg/l Intoxication

Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Components:

Distillates (petroleum), hydrotreated light

NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

1,3-Benzodioxole, 5-[[2-

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

LOAEL (Pimephales promelas): 0.42 mg/l Experimental result, Key study NOAEL (Pimephales promelas): 0.18 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

Product:

No data available.

Components:

1,3-Benzodioxole, 5-[[2-

(2-

---

LOAEL (Daphnia magna): 47 µg/l Experimental result, Key study NOAEL (Daphnia magna): 30 µg/l Experimental result, Key study

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

**Toxicity to Aquatic Plants** 

**Product:** 

No data available.

Persistence and Degradability

Biodegradation

Product:

No data available.

Components:

Distillates (petroleum), hydrotreated light

61 % Detected in water. Experimental result, Supporting study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

1,3-Benzodioxole, 5-[[2-

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

24 - 48 % (28 d) Detected in water. Experimental result, Supporting study



Revision Date: 11/04/2020

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Components:

1,3-Benzodioxole, 5-[[2-

Bioconcentration Factor (BCF): 39.06 Aquatic sediment QSAR, Key study

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Components:

1,3-Benzodioxole, 5-[[2-

Log Kow: 4.8 - 5 20 - 25 °C

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

Mobility in soil: No data available.

Components:

Distillates (petroleum), hydrotreated light

No data available. No data available.

Butane

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

No data available.

**Pyrethrins** 

No data available.

Other adverse effects: Very toxic to aquatic organisms.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Do not allow to enter drains, sewers or watercourses.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Člass(es)

Class: 2.1 Label(s): -

EmS No.: Packing Group:

...

Special precautions for user: Not regulated.

**IATA** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –

Packing Group: –

Special precautions for user: Not regulated.

Other information

Passenger and cargo aircraft: Allowed. 203 Cargo aircraft only: Allowed. 203



Revision Date: 11/04/2020

#### **IMDG**

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Člass(es)

Class: 2 Label(s): –

EmS No.: F-D, S-U

Packing Group: -

Special precautions for user: Not regulated.

#### 15. Regulatory information

#### **US Federal Regulations**

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

# CERCLA Hazardous Substance List (40 CFR 302.4):

#### **Chemical Identity**

Ethane, 1,1-difluoro-Distillates (petroleum), hydrotreated light UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY RCRA HAZARDOUS WASTE NO. D001 PYRETHRINS

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Flammable (gases, aerosols, liquids, or solids), Aspiration Hazard

# US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

# US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

**Chemical Identity** 

% by weight

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-

propyl-

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

#### **US State Regulations**

### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

# US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

Ethane, 1,1-difluoro-

Distillates (petroleum), hydrotreated light

Butane

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

**Pyrethrins** 



Revision Date: 11/04/2020

#### **US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

# US. Pennsylvania RTK - Hazardous Substances Chemical Identity

Distillates (petroleum), hydrotreated light Butane Pyrethrins

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

#### Montreal protocol

Ethane, 1,1-difluoro- Group I Annex F Distillates (petroleum), hydrotreated light

#### Stockholm convention

Ethane, 1,1-difluoro-Distillates (petroleum), hydrotreated light

#### **Rotterdam convention**

Ethane, 1,1-difluoro-Distillates (petroleum), hydrotreated light

#### **Kyoto protocol**

# **Inventory Status:**

Australia AICS On or in compliance with the inventory Canada DSL Inventory List On or in compliance with the inventory Canada NDSL Inventory Not in compliance with the inventory. Ontario Inventory Not in compliance with the inventory. China Inv. Existing Chemical Substances On or in compliance with the inventory Japan (ENCS) List Not in compliance with the inventory. Japan ISHL Listing Not in compliance with the inventory. Japan Pharmacopoeia Listing Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI) On or in compliance with the inventory Mexico INSQ On or in compliance with the inventory New Zealand Inventory of Chemicals On or in compliance with the inventory Philippines PICCS On or in compliance with the inventory Taiwan Chemical Substance Inventory On or in compliance with the inventory On or in compliance with the inventory **US TSCA Inventory** EINECS, ELINCS or NLP Not in compliance with the inventory.



Revision Date: 11/04/2020

# 16. Other information, including date of preparation or last revision

**Issue Date:** 11/04/2020

**Revision Information:** No data available.

Version #: 1.0

**Further Information:** FIFRA: This chemical is a pesticide product registered by the United States

Environmental Protection Agency and is subject to certain labeling

requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.