

# SAFETY DATA SHEET

### 1. Identification

Product identifier: QUICK WAX 26916

Other means of identification SDS number: RE1000013592

# **Recommended restrictions**

Product use: Coating Restrictions on use: Not known.

#### Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name:	CPC
Address:	1000 INTEGRAM DRIVE
	PACIFIC, MO 63069
Telephone:	1-800-327-1835
Fax:	

Emergency telephone number: 1-866-836-8855

#### 2. Hazard(s) identification

#### **Hazard Classification**

Physical Hazards	
Flammable aerosol	Category 1
Health Hazards	
Aspiration Hazard	Category 1

#### **Environmental Hazards**

Acute hazards to the aquatic environment	Category 3
Chronic hazards to the aquatic environment	Category 3

#### Label Elements

#### Hazard Symbol:



Signal Word:

Danger



Hazard Statement:	Extremely flammable aerosol. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.
Response:	IF SWALLOWED: Immediately call a POISON CENTER/doctor/ Do NOT induce vomiting.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

# 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light	64742-47-8	10 - <25%
Propane	74-98-6	5 - <10%
Ethanol, 2-amino-	141-43-5	0.1 - <1%
Acetic acid ethyl ester	141-78-6	0 - <0.1%
Ethanol, 2,2'-iminobis-	111-42-2	0 - <0.1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures

Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Inhalation:	Move to fresh air.	
Skin Contact:	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.	
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.	
SDS_US - RE1000013592	2/13	



Most important symptoms/effect	s, acute and delayed	
Symptoms:	No data available.	
Hazards:	No data available.	
Indication of immediate medical	attention and special treatment needed	
Treatment:	No data available.	
5. Fire-fighting measures		
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	
Suitable (and unsuitable) extingu	ishing media	
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.	
Special protective equipment and	d precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measures	S	
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.	
Methods and material for containment and cleaning up:	Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.	
Notification Procedures:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.	
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.	



# 7. Handling and storage

Precautions for safe handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Conditions for safe storage, including any incompatibilities:	Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

# 8. Exposure controls/personal protection

#### **Control Parameters**

#### **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Lin	nit Values	Source
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Distillates (petroleum), hydrotreated light	REL		100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Distillates (petroleum), hydrotreated light	ST ESL		3,500 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		350 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL		1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA PEL		1,800 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA	1,000 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ethanol, 2-amino-	STEL	6 ppm	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA	3 ppm	8 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL		39 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		97 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		7 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		2.8 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	STEL	6 ppm	15 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	3 ppm	6 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	6 ppm	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000)



				(1989)
	STEL	6 ppm	15 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	REL	3 ppm	8 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA PEL	3 ppm	8 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	3 ppm	8 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	6 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	3 ppm		US. ACGIH Threshold Limit Values (2008)
Acetic acid ethyl ester	TWA	400 ppm		US. ACGIH Threshold Limit Values (2008)
	REL	400 ppm	1,400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	400 ppm	1,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm	1,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	400 ppm	1,400 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA PEL	400 ppm	1,400 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL		3,100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		1,440 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		400 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		870 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ethanol, 2,2'-iminobis-	REL	3 ppm	15 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	AN ESL		7 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA	3 ppm	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA PEL	0.46 ppm	2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL		97 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ethanol, 2,2'-iminobis Inhalable fraction and vapor.	TWA		1 mg/m3	US. ACGIH Threshold Limit Values (2009)
Ethanol, 2,2'-iminobis-	TWA	3 ppm	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)

# Appropriate Engineering Controls

No data available.

#### Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection:	Wear goggles/face shield.



Skin Protection Hand Protection:	No data available.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	When using do not smoke. Observe good industrial hygiene practices.

# 9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	88.58 °C
Flash Point:	-104.4 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive	limits
Flammability limit - upper (%):	9.5 %(V)
Flammability limit - lower (%):	2.2 %(V)
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Manage laws the	
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	<b>NI 17 11</b>
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
•	

# 10. Stability and reactivity

#### Reactivity:

No data available.



Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

# 11. Toxicological information

Information on likely routes Inhalation:	s of exposure No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Symptoms related to the physical, chemical and toxicolog	

# ogical characteristics

Inhalation:	No data available.
Skin Contact:	No data available.


Eye contact:	No data available.
Eye contact.	INU UALA AVAIIADIE.

#### Ingestion: No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
Dermal Product:	Not classified for acute toxicity based on available data.
Inhalation Product:	Not classified for acute toxicity based on available data.
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.





Serious Eye Damage/Eye Irritatio Product:	on No data available.	
Respiratory or Skin Sensitization Product:	<b>n</b> No data available.	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evaluation No carcinogenic components	ation of Carcinogenic Risks to Humans: s identified	
US. National Toxicology Program No carcinogenic components		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified		
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Toxicity - Product:	Single Exposure No data available.	
Specific Target Organ Toxicity - Repeated Exposure Product: No data available.		
Aspiration Hazard Product:	No data available.	
Other effects:	No data available.	

# 12. Ecological information

#### Ecotoxicity:

#### Acute hazards to the aquatic environment:

#### Fish Product:

No data available.

#### **Aquatic Invertebrates**

SDS\_US - RE1000013592

Version: 1.0 Revision Date: 07/02/2019



Product:	No data available.
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (BC Product:	<b>CF)</b> No data available.
Partition Coefficient n-octanol / w	vater (log Kow)
Product:	No data available.
Mobility in soil:	No data available.
	tion to environmental compartments
Distillates (petroleum), hydrotreated light	No data available.
Propane	No data available.
Ethanol, 2-amino-	No data available.
Acetic acid ethyl ester	No data available.
Ethanol, 2,2'-iminobis-	No data available.
Other adverse effects:	Harmful to aquatic life with long lasting effects.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.



# 14. Transport information

#### DOT

UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): Packing Group: Marine Pollutant:	UN 1950 Aerosols, flammable 2.1 – II No
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.:	UN 1950 Aerosols, flammable 2 –
Packing Group:	-
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class: Label(s): Packing Group:	UN 1950 Aerosols, flammable 2.1 –
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.

#### 15. Regulatory information

#### US Federal Regulations TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.



**Threshold Planning Quantity** 

#### CERCLA Hazardous Substance List (40 CFR 302.4):

#### **Chemical Identity**

## Reportable quantity

Propane	lbs. 100
Acetic acid ethyl ester	lbs. 5000
Ethanol, 2,2'-iminobis-	lbs. 100

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Reportable

quantity

#### Hazard categories

Fire Hazard Immediate (Acute) Health Hazards Flammable aerosol Aspiration Hazard

#### SARA 302 Extremely Hazardous Substance

# Chemical Identity

**<u>Chemical Identity</u>** Distillates (petroleum), hydrotreated light Proprietary Poly[oxy(methyl-1,2ethanediyl)], α-hydro-ωhydroxy-, ether with methyl β-Dglucopyranoside (4:1)

#### SARA 304 Emergency Release Notification

**Chemical Identity Reportable quantity** (petroleum), Distillates hydrotreated light Propane lbs. 100 Proprietary Poly[oxy(methyl-1,2ethanediyl)], α-hydro-ωhydroxy-, ether with methyl β-Dglucopyranoside (4:1) Acetic acid ethyl ester lbs. 5000 Ethanol, 2,2'-iminobislbs. 100


#### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Distillates (petroleum),	10000 lbs
hydrotreated light	
Propane	10000 lbs
Ethanol, 2-amino-	10000 lbs
Acetic acid ethyl ester	10000 lbs
Ethanol, 2,2'-iminobis-	10000 lbs
CADA 242 (TDI Departing)	

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations





#### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethanol, 2,2'-iminobis- Carcinogenic. 07 2012

#### US. New Jersey Worker and Community Right-to-Know Act

#### **Chemical Identity**

Distillates (petroleum), hydrotreated light Propane

#### US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

#### US. Pennsylvania RTK - Hazardous Substances

#### Chemical Identity

Distillates (petroleum), hydrotreated light Propane

#### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

#### **Montreal protocol**

Distillates (petroleum), hydrotreated light Proprietary

#### Stockholm convention

Distillates (petroleum), hydrotreated light Proprietary

#### Rotterdam convention

Distillates (petroleum), hydrotreated light Proprietary

#### Kyoto protocol



Inventory Status:	
Australia AICS:	Not in compliance with the inventory.
Canada DSL Inventory List:	Not in compliance with the inventory.
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
US TSCA Inventory:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

Issue Date:	07/02/2019
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.