

Revision Date: 09/30/2019

SAFETY DATA SHEET

1. Identification

Product identifier: TERAND FABRIC & UPHOLSTERY REFRESHER- 27514

Other means of identification

SDS number: RE1000009096

Recommended restrictions

Product Use: Coating

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CPC

Address: 1000 INTEGRAM DRIVE

PACIFIC, MO 63069

Telephone: 1-800-327-1835

Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.



Revision Date: 09/30/2019

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Butane	106-97-8	1 - <5%
Benzenesulfonic acid, dimethyl-, sodium salt (1:1)	1300-72-7	1 - <5%
Propane	74-98-6	1 - <5%
Sodium nitrite, Nitrous acid, sodium salt (1:1)	7632-00-0	0.1 - <1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Rinse mouth thoroughly.

Inhalation: Move to fresh air.

Skin Contact: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work.

Eye contact: Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.



Revision Date: 09/30/2019

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Methods and material for containment and cleaning

up:

Stop the flow of material, if this is without risk. Absorb with sand or other

inert absorbent.

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer. Environmental

manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Conditions for safe storage,

including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 1

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Butane	REL	800 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Propane	REL	1,000 ppm 1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Borax (B4Na2O7.10H2O)	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Borax (B4Na2O7.10H2O) - Inhalable fraction.	STEL	6 mg/m3	US. ACGIH Threshold Limit Values (03 2017)



Revision Date: 09/30/2019

	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (03 2017)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

Appropriate Engineering

Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: No data available.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: When using do not smoke. Observe good industrial hygiene practices.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol
Color: No data available.

Odor: No data available.

Odor threshold: No data available.

PH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: Estimated 102.16 °C

Flash Point: -104.44 °C

Evaporation rate: No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

No data available.

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure: 3,102.6407 - 3,792.1165 hPa (20 °C)

Vapor density:No data available.Density:Estimated 0.967 g/cm3Relative density:No data available.



Revision Date: 09/30/2019

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Viscosity:
No data available.
No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials:No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 126,315.79 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):



Revision Date: 09/30/2019

Benzenesulfonic acid, dimethyl-, sodium salt LD 50 (Rabbit): > 2,000 mg/kg

(1:1)

Sodium nitrite, Nitrous acid, sodium salt (1:1)

LD 50: > 2,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Benzenesulfonic acid.

dimethyl-, sodium salt

(1:1)

LC 50 (Rat): > 6.41 mg/l

Propane LC 50: > 100 mg/l LC 50: > 100 mg/l

Sodium nitrite, Nitrous acid, sodium salt (1:1)

LC 0 (Rat): 0.0951 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result. Key study

Benzenesulfonic acid. dimethyl-, sodium salt

(1:1)

Propane

NOAEL (Rat(Female, Male), Oral, 90 d); > 763 mg/kg Oral Read-across

based on grouping of substances (category approach), Key study

NOAEL (Rat(Male), Dermal, 13 Weeks): >= 500 mg/kg Dermal Read-across based on grouping of substances (category approach), Supporting study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Sodium nitrite, Nitrous acid, sodium salt (1:1)

NOAEL (Rat(Male), Oral, 2 yr): 10 mg/kg Oral Experimental result,

Supporting study

LOAEL (Rat(Male), Oral, 14 Weeks): 115 mg/kg Oral Experimental result,

Weight of Evidence study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Benzenesulfonic acid, dimethyl-, sodium salt

in vivo (Rabbit): Slightly irritating Experimental result, Key study

Sodium nitrite, Nitrous acid, sodium salt (1:1) in vivo (Rabbit): Not irritant Experimental result, Weight of Evidence study

(1:1)



Revision Date: 09/30/2019

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Benzenesulfonic acid, dimethyl-, sodium salt

Rabbit, 24 hrs: Moderately irritating

(1:1)

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Benzenesulfonic acid, Skin sensitization:, in vivo (Guinea pig): Non sensitising

dimethyl-, sodium salt

(1:1)

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.



Revision Date: 09/30/2019

Specified substance(s):

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Benzenesulfonic acid, dimethyl-, sodium salt

(1:1)

LC 50 (Oncorhynchus mykiss, 96 h): >= 1,580 mg/l Read-across based on

grouping of substances (category approach), Supporting study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Sodium nitrite. Nitrous acid, sodium salt (1:1)

LC 50 (Oncorhynchus mykiss, 96 h): 0.54 - 26.3 mg/l Experimental result,

Key study

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

Butane

LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Benzenesulfonic acid, dimethyl-, sodium salt

(1:1)

EC 50 (48 h): >= 40.3 mg/l Experimental result, Supporting study

Sodium nitrite, Nitrous acid, sodium salt (1:1) EC 50 (Daphnia magna, 48 h): 15.4 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Sodium nitrite. Nitrous acid, sodium salt (1:1)

NOAEL (Cyprinus carpio): 1.05 mg/l Experimental result, Key study

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

Sodium nitrite, Nitrous acid, sodium salt (1:1)

NOAEL (Penaeus monodon): 2 mg/l Experimental result, Key study EC 50 (Penaeus monodon): 114.9 mg/l Experimental result, Key study LC 50 (Penaeus monodon): > 95.6 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Benzenesulfonic acid.

dimethyl-, sodium salt

(1:1)

100 % (28 d) Detected in water. Experimental result, Key study >= 50 % (28 d) Detected in water. Experimental result, Supporting study

SDS US - RE1000009096



Revision Date: 09/30/2019

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Butane No data available. Benzenesulfonic acid, No data available.

dimethyl-, sodium salt (1:1)

Propane No data available. Sodium nitrite, Nitrous acid, No data available.

sodium salt (1:1)

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2
Label(s): –
EmS No.:

Packing Group: -



Revision Date: 09/30/2019

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –

Packing Group: –

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	Reportable quantity
Butane	lbs. 100
Propane	lbs. 100
Sodium nitrite, Nitrous acid, sodium salt (1:1)	lbs. 100
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	lbs. 1000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard Flammable aerosol

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	Reportable quantity
Water	
Butane	lbs. 100
Propane	lbs. 100
Sodium nitrite, Nitrous acid, sodium salt (1:1)	lbs. 100
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	lbs. 1000



Revision Date: 09/30/2019

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Butane	10000 lbs
Benzenesulfonic acid, dimethyl-, sodium salt (1:1)	10000 lbs
Propane	10000 lbs
Sodium nitrite, Nitrous acid, sodium salt (1:1)	10000 lbs
Borax (B4Na2O7.10H2O)	10000 lbs
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Butane

Propane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Butane

Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable



Revision Date: 09/30/2019

Inventory Status:

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List:

On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: Not in compliance with the inventory.

China Inv. Existing Chemical Substances: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Canada NDSL Inventory: Not in compliance with the inventory.

Philippines PICCS: On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ: Not in compliance with the inventory.

Ontario Inventory: On or in compliance with the inventory

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date: 09/30/2019

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.