

SAFETY DATA SHEET

1. Identification	
Product number	100009101
Product identifier	16 OZ DEG&DEOD-CITRUS&SOY LB 12PK
Revision date	01-28-2016
Company information	CPC 1005 S. Westgate Drive Addison, IL 60101 United States
Company phone	General Assistance 800-327-1835
Emergency telephone US	1-866-836-8855
Emergency telephone outside US	1-952-852-4646
Version #	04
Supersedes date	10-05-2015
Recommended use	Degreaser
Recommended restrictions	None known.

2. Hazard(s) identification

Physical hazards	Flammable aerosols	Category 1
Health hazards	Skin corrosion/irritation	Category 2
	Sensitization, skin	Category 1
	Aspiration hazard	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger		
Hazard statement	Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.		
Precautionary statement			
Prevention	Keep away from heat/sparks/open flames/hot sur flame or other ignition source. Pressurized conta breathing gas. Wash thoroughly after handling. C out of the workplace. Wear protective gloves.	iner: Do not pierce or burn, even after use. Avoid	
Response	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.		
Storage	Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Environmental hazards	Hazardous to the aquatic environment, acute C hazard	Category 1	
	Hazardous to the aquatic environment, C long-term hazard	Category 1	
Hazard(s) not otherwise classified (HNOC)	Very toxic to aquatic life. Very toxic to aquatic life	e with long lasting effects.	
Supplemental information	None.		
3. Composition/information on ingredients			

Mixtures

Product name: 16 OZ D	EG&DEOD-CITI	RUS&SOY LB 12PK		SDS US
Product #: 1000009101	Version #: 04	Revision date: 01-28-2016	Issue date: 11-10-2014	1 / 9

Chemical name	Common name and synonyms	CAS number	%
d-Limonene		5989-27-5	40 - 60
Alcohols, C12-13, ethoxylated		66455-14-9	2.5 - 10
Carbon Dioxide		124-38-9	2.5 - 10
Ethoxylated Alcohol		34398-01-1	2.5 - 10
Other components below report	able levels		20 - 40

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Not available.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. We appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do damaged containers or spilled material unless wearing appropriate protective clothing. Vectors of spaces before entering them. Local authorities should be advised if significant spectrum to be contained. For personal protection, see section 8 of the SDS.	o not touch Ventilate
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area un dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immed Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas. Cover with plastic sheet to prevent sp Absorb in vermiculite, dry sand or earth and place into containers. Following product red flush area with water.	til gas has diate area). o preading.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual contamination. For waste disposal, see section 13 of the SDS.	hly to
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory person environmental releases. Prevent further leakage or spillage if safe to do so. Avoid disch drains, water courses or onto the ground.	
Product name: 16 OZ DEG&DEOD-	CITRUS&SOY LB 12PK	SDS US
Product #: 1000009101 Version #:	04 Revision date: 01-28-2016 Issue date: 11-10-2014	2/9

01 Version #: 04 Revision date: 01-28-2016 Issue date: 11-10
--

7. Handling and storage

Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Level 2 Aerosol.
	Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section

8. Exposure controls/personal protection

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Components Value Туре Carbon Dioxide (CAS PEL 9000 mg/m3 124-38-9) 5000 ppm US. ACGIH Threshold Limit Values Value Components Туре Carbon Dioxide (CAS STEL 30000 ppm 124-38-9) TWA 5000 ppm **US. NIOSH: Pocket Guide to Chemical Hazards** Components Value Type Carbon Dioxide (CAS STEL 54000 mg/m3 124-38-9) 30000 ppm TWA 9000 mg/m3 5000 ppm No biological exposure limits noted for the ingredient(s). **Biological limit values** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates Appropriate engineering controls should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. Individual protection measures, such as personal protective equipment Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles). Skin protection Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

Occupational exposure limits

supplier.

10 of the SDS).

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Other

Product name: 16 OZ D	EG&DEOD-CIT	RUS&SOY LB 12PK		SDS US
Product #: 1000009101	Version #: 04	Revision date: 01-28-2016	Issue date: 11-10-2014	3 / 9

Physical state	Gas.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	119.0 °F (48.3 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	0.7 % estimated
Flammability limit - upper (%)	6.1 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	3.64 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	459 °F (237.22 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.455 estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal cond

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Product name: 16 OZ D	EG&DEOD-CIT	RUS&SOY LB 12PK		SDS US
Product #: 1000009101	Version #: 04	Revision date: 01-28-2016	Issue date: 11-10-2014	4 / 9

Symptoms related to the
physical, chemical and
toxicological characteristicsAspiration may cause pulmonary edema and pneumonitis. Skin irritation. May cause redness and
pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	May be fatal if swallowed and enters airways. May cause an allergic skin reaction.	
Components	Species	Test Results
Alcohols, C12-13, ethoxylated (C	AS 66455-14-9)	
Acute		
Dermal		
LD50	Rabbit	3300 mg/kg, 24 Hours
	Rat	> 2000 mg/kg, 24 Hours
Inhalation		
LC50	Rat	> 100 mg/m3, 6 Hours
		> 1.6 mg/l, 4 Hours
Oral		
LD50	Rat	7560 mg/kg
d-Limonene (CAS 5989-27-5)		
Acute		
Oral		
LD50	Rat	> 2000 mg/kg
* Estimates for product movel	e beed op additional component data pat about	-
	be based on additional component data not show	/n.
Skin corrosion/irritation	Causes skin irritation.	(irritation
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary	y initation.
Respiratory or skin sensitizatio		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
d-Limonene (CAS 5989-	,	ble as to carcinogenicity to humans.
	ed Substances (29 CFR 1910.1001-1050)	
Not regulated.	ANTE Depart on Consideration	
Not listed.	ogram (NTP) Report on Carcinogens	
Reproductive toxicity	This product is not expected to cause reprodu	ctive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
Chronic effects	Prolonged inhalation may be harmful.	

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Components	Species		Test Results
Alcohols, C12-13, etho	oxylated (CAS 6645	55-14-9)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.39 - 0.56 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.72 - 2.7 mg/l, 96 hours

Product name: 16 OZ DE	EG&DEOD-CIT	RUS&SOY LB 12PK		SDS US
Product #: 1000009101	Version #: 04	Revision date: 01-28-2016	Issue date: 11-10-2014	5 / 9

Components		Species	Test Results	
d-Limonene (CAS 5989-	-27-5)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours	
Ethoxylated Alcohol (CA	S 34398-01-1)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	1.6 - 2.5 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	3.2 - 5 mg/l, 96 hours	
* Estimates for product r	may be based on	additional component data not shown.		
rsistence and degradabi	i lity No data is	available on the degradability of this product.		
accumulative potential				
Partition coefficient n-	octanol / water (og Kow)		
d-Limonene		4.232		
bility in soil	No data a	vailable.		
ner adverse effects		adverse environmental effects (e.g. ozone depl endocrine disruption, global warming potential)	•	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. Transport information

DOT	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	None
Packing group	Not applicable.
Special precautions for use	r Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	None
Packing group	Not applicable.
Environmental hazards	Yes

Product name: 16 OZ DEG&DEOD-CI	TRUS&SOY LB 12PK		SDS US
Product #: 1000009101 Version #: 04	Revision date: 01-28-2016	Issue date: 11-10-2014	6 / 9

ERG Code Special precautions for user Other information	10L Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only Packaging Exceptions	Allowed with restrictions. LTD QTY
IMDG	
UN number UN proper shipping name Transport hazard class(es)	UN1950 AEROSOLS
Class	2.1
Subsidiary risk	-
Label(s)	None
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	Yes
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

DOT





General information

IMDG Regulated Marine Pollutant.

Product name: 16 OZ DEG&DEOD-CITRUS&SOY LB 12PK				SDS US
Product #: 1000009101	Version #: 04	Revision date: 01-28-2016	Issue date: 11-10-2014	7/9

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No **Reactivity Hazard - No** SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) **US state regulations** US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed. US. Massachusetts RTK - Substance List Carbon Dioxide (CAS 124-38-9) US. New Jersey Worker and Community Right-to-Know Act Carbon Dioxide (CAS 124-38-9) US. Pennsylvania Worker and Community Right-to-Know Law Carbon Dioxide (CAS 124-38-9) US. Rhode Island RTK Not regulated. US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethylene Oxide (CAS 75-21-8)

Listed: July 1, 1987

	JAO 10-21-0)		
US - California Prop	osition 65 - CRT: Listed o	late/Developmental toxin	
Ethylene Oxide (CAS 75-21-8)		Listed: August 7, 2009	
US - California Prop	osition 65 - CRT: Listed o	late/Female reproductive toxin	
Ethylene Oxide (CAS 75-21-8)		Listed: February 27, 1987	
US - California Prop	osition 65 - CRT: Listed o	late/Male reproductive toxin	
Ethylene Oxide (CAS 75-21-8)		Listed: August 7, 2009	
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)		Yes
Product name: 16 OZ DEG&DEC	D-CITRUS&SOY LB 12PK		SDS US
Product #: 1000009101 Version #: 04 Revision date: 01-28-2016 Issue date: 11-10-2014			8 / 9

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

B : :	
Revision date 01-28-2016	
Version # 04	
other manufacturers in combination w ensure safe conditions for handling, st	der which this information and its product, or the products of th its product, may be used. It is the user's responsibility to prage and disposal of the product, and to assume liability for improper use. The information in the sheet was written erience currently available.
Revision information Product and Company Identification: A	Iternate Trade Names

Product name: 16 OZ DEG&DEOD-CITRUS&SOY LB 12PK				SDS US
Product #: 1000009101	Version #: 04	Revision date: 01-28-2016	Issue date: 11-10-2014	9 / 9