



# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** TERAND BELT DRESSING - 792

**Other means of identification**

**SDS number:** RE1000009136

**Recommended restrictions**

**Product use:** Coating

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Manufacturer**

Company Name: CPC  
Address: 1000 INTEGRAM DRIVE  
PACIFIC, MO 63069  
Telephone: 1-800-327-1835  
Fax:

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable aerosol Category 1

**Health Hazards**

Skin Corrosion/Irritation Category 2  
Serious Eye Damage/Eye Irritation Category 2A  
Germ Cell Mutagenicity Category 2  
Carcinogenicity Category 1A

**Environmental Hazards**

Acute hazards to the aquatic environment Category 3  
Chronic hazards to the aquatic environment Category 3

**Label Elements**

**Hazard Symbol:**



**Signal Word:**

Danger



**Hazard Statement:** Extremely flammable aerosol.  
Causes skin irritation.  
Causes serious eye irritation.  
Suspected of causing genetic defects.  
May cause cancer.  
Harmful to aquatic life with long lasting effects.

**Precautionary Statements**

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

**3. Composition/information on ingredients**

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Ethene, 1,1,2-trichloro-	79-01-6	25 - <50%
Butane	106-97-8	20 - <50%
Butene, homopolymer	9003-29-6	10 - <20%
Propane	74-98-6	10 - <20%
Naphtha (petroleum), light alkylate	64741-66-8	5 - <10%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

**Skin Contact:** Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.



**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** No data available.

**5. Fire-fighting measures**

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may travel considerable distance to a source of ignition and flash back.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.



**7. Handling and storage**

**Precautions for safe handling:** Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin.

**Conditions for safe storage, including any incompatibilities:** Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 2

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Ethene, 1,1,2-trichloro-	TWA	10 ppm	US. ACGIH Threshold Limit Values (2008)
	STEL	200 ppm 1,080 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	25 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA	100 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	MAX. CONC	300 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	TWA	50 ppm 270 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	200 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	REL	25 ppm	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	Ceil_Time	2 ppm	US. NIOSH: Pocket Guide to Chemical Hazards (2016)
Butane	REL	800 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Propane	REL	1,000 ppm 1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Oxirane, 2-(chloromethyl)-	TWA	2 ppm 8 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	5 ppm 19 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.5 ppm	US. ACGIH Threshold Limit Values (2008)

**Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
Ethene, 1,1,2-trichloro- (Trichloroacetic acid: Sampling time: End of shift at end of work week.)	15 mg/l (Urine)	ACGIH BEL (03 2013)
Ethene, 1,1,2-trichloro- (Trichloroethanol, without hydrolysis: Sampling time: End of shift at end of work week.)	0.5 mg/l (Blood)	ACGIH BEL (03 2013)

**Appropriate Engineering Controls** No data available.



### Individual protection measures, such as personal protective equipment

<b>General information:</b>	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Eye/face protection:</b>	Wear safety glasses with side shields (or goggles).
<b>Skin Protection</b>	
<b>Hand Protection:</b>	No data available.
<b>Other:</b>	Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
<b>Respiratory Protection:</b>	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
<b>Hygiene measures:</b>	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Avoid contact with eyes. When using do not smoke. Wash contaminated clothing before reuse. Avoid contact with skin.

## 9. Physical and chemical properties

### Appearance

<b>Physical state:</b>	liquid
<b>Form:</b>	Spray Aerosol
<b>Color:</b>	No data available.
<b>Odor:</b>	No data available.
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point/freezing point:</b>	No data available.
<b>Initial boiling point and boiling range:</b>	No data available.
<b>Flash Point:</b>	-104.44 °C
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Vapor pressure:</b>	2,757.9029 - 4,136.8543 hPa (20 °C)
<b>Vapor density:</b>	No data available.
<b>Density:</b>	No data available.
<b>Relative density:</b>	No data available.
<b>Solubility(ies)</b>	



<b>Solubility in water:</b>	No data available.
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	No data available.
<b>Hazardous Decomposition Products:</b>	No data available.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

##### Oral

**Product:** Not classified for acute toxicity based on available data.

##### Specified substance(s):

Ethene, 1,1,2-trichloro- LD Lo (Rat): 5,620 mg/kg  
LD 50: > 5,000 mg/kg

Butene, homopolymer LD 50 (Rat): > 10,000 mg/kg



Naphtha (petroleum),  
light alkylate LD 50 (Rat): > 5,000 mg/kg

**Dermal**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

Ethene, 1,1,2-trichloro- LD 50: > 2,000 mg/kg

Butene, homopolymer LD 50 (Rat): > 2,000 mg/kg

Naphtha (petroleum),  
light alkylate LD 50 (Rabbit): > 6,000 mg/kg

**Inhalation**

**Product:** ATEmix: 76.44 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

Ethene, 1,1,2-trichloro- NOAEL (Rat(Male), Inhalation): 100 ppm(m) Inhalation Experimental result, Key study

NOAEL (Rat(Male), Oral, 52 Weeks): 50 mg/kg Oral Experimental result, Key study

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study

Butene, homopolymer NOAEL (Rat(Female, Male), Inhalation): 1,000 mg/m3 Inhalation Experimental result, Key study

NOAEL (Rat(Female, Male), Oral, 13 Weeks): 1,000 mg/kg Oral Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study

Naphtha (petroleum),  
light alkylate NOAEL (Mouse, Rat(Female, Male), Inhalation, 107 - 113 Weeks): 1,402 mg/m3 Inhalation Experimental result, Key study

NOAEL (Rat(Female, Male), Dermal, 5 - 28 d): 3,750 mg/kg Dermal Experimental result, Key study

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Butene, homopolymer in vivo (Rabbit): Not irritant Experimental result, Key study

Naphtha (petroleum),  
light alkylate In vitro (Human): not corrosive Experimental result, Supporting study

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Butene, homopolymer Rabbit, 24 - 72 hrs: Not irritating

Naphtha (petroleum),  
light alkylate Rabbit, 24 - 72 hrs: Not irritating



### Respiratory or Skin Sensitization

**Product:** No data available.

**Specified substance(s):**

Butene, homopolymer Skin sensitization:, in vivo (Guinea pig): Non sensitising  
Naphtha (petroleum), Skin sensitization:, in vivo (Guinea pig): Non sensitising  
light alkylate

### Carcinogenicity

**Product:** No data available.

**Specified substance(s):**

Ethene, 1,1,2-trichloro- Potential cancer hazard.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Ethene, 1,1,2-trichloro- Overall evaluation: 1. Carcinogenic to humans.

### US. National Toxicology Program (NTP) Report on Carcinogens:

Ethene, 1,1,2-trichloro- Known To Be Human Carcinogen.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

### Germ Cell Mutagenicity

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

### Reproductive toxicity

**Product:** No data available.

### Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

### Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

### Aspiration Hazard

**Product:** No data available.

**Specified substance(s):**

Naphtha (petroleum), May be fatal if swallowed and enters airways.  
light alkylate

**Other effects:** No data available.

## 12. Ecological information

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

**Fish**

**Product:** No data available.





**Specified substance(s):**

Ethene, 1,1,2-trichloro-	LC 50 (Pimephales promelas, 96 h): 44.1 mg/l Experimental result, Supporting study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Butene, homopolymer	LC 50 (Leuciscus idus, 96 h): > 10,000 mg/l Experimental result, Supporting study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Naphtha (petroleum), light alkylate	LL 50 (Oncorhynchus mykiss, 96 h): 10 mg/l Experimental result, Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Ethene, 1,1,2-trichloro-	IC 50 (Daphnia magna, 48 h): 20.8 mg/l Experimental result, Key study
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Butene, homopolymer	EC 50 (Daphnia magna, 48 h): > 100 mg/l Experimental result, Key study
Naphtha (petroleum), light alkylate	EC 50 (Daphnia magna, 48 h): 4.5 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.5 mg/l Experimental result, Key study

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** NOEC : Estimated < 1 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Naphtha (petroleum), light alkylate  
NOAEL (Daphnia magna): 2.6 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** 60 % (28 d) Readily biodegradable

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

Ethene, 1,1,2-trichloro-  
Lepomis macrochirus, Bioconcentration Factor (BCF): 17 Aquatic sediment  
Experimental result, Key study



Butene, homopolymer Bioconcentration Factor (BCF): 314 - 1,882 Aquatic sediment QSAR, Key study

Naphtha (petroleum), light alkylate Bioconcentration Factor (BCF): 10 - 2,500 Aquatic sediment Estimated by calculation, Key study

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Specified substance(s):**

Butene, homopolymer Log Kow: 7.6 - 7.8 20 °C No Experimental result, Key study

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

Ethene, 1,1,2-trichloro- No data available.  
Butane No data available.  
Butene, homopolymer No data available.  
Propane No data available.  
Naphtha (petroleum), light alkylate No data available.

**Other adverse effects:** Harmful to aquatic life with long lasting effects.

**13. Disposal considerations**

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** No data available.

**14. Transport information**

**DOT**

UN Number: UN 1950  
UN Proper Shipping Name: Aerosols, Flammable  
Transport Hazard Class(es)  
Class: 2.1  
Label(s): -  
Packing Group: II  
Marine Pollutant: No  
  
Environmental Hazards: No  
Marine Pollutant: No  
  
Special precautions for user: Not regulated.

**IMDG**

UN Number: UN 1950  
UN Proper Shipping Name: Aerosols, Flammable  
Transport Hazard Class(es)  
Class: 2  
Label(s): -  
EmS No.: -  
  
Packing Group: -  
  
Environmental Hazards: Yes  
Marine Pollutant: No  
  
Special precautions for user: Not regulated.



**IATA**

UN Number: UN 1950  
Proper Shipping Name: Aerosols, Flammable  
Transport Hazard Class(es):  
    Class: 2.1  
    Label(s): –  
Packing Group: –  
Environmental Hazards: Yes  
Marine Pollutant: No  
Special precautions for user: Not regulated.  
    Cargo aircraft only: Allowed.

**15. Regulatory information**

**US Federal Regulations**

Restrictions on use: Not known.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ethene, 1,1,2-trichloro-	lbs. 100
Butane	lbs. 100
Propane	lbs. 100
Oxirane, 2- (chloromethyl)-	lbs. 100

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

- Fire Hazard
- Immediate (Acute) Health Hazards
- Delayed (Chronic) Health Hazard
- Flammable aerosol
- Skin Corrosion/Irritation
- Serious Eye Damage/Eye Irritation
- Germ Cell Mutagenicity
- Carcinogenicity

**SARA 302 Extremely Hazardous Substance**

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Oxirane, 2- (chloromethyl)-	lbs. 100	lbs. 1000

**SARA 304 Emergency Release Notification**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ethene, 1,1,2-trichloro-	lbs. 100
Butane	lbs. 100
Propane	lbs. 100
Oxirane, 2- (chloromethyl)-	lbs. 100



#### SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Oxirane, 2-(chloromethyl)-	lbs
Ethene, 1,1,2-trichloro-	10000 lbs
Butane	10000 lbs
Butene, homopolymer	10000 lbs
Propane	10000 lbs
Naphtha (petroleum), light alkylate	10000 lbs

#### SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Ethene, 1,1,2-trichloro-	lbs	lbs.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**  
**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**  
**US State Regulations**

#### US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethene, 1,1,2-trichloro-	Carcinogenic. 05 2011
Ethene, 1,1,2-trichloro-	Male reproductive toxin. 04 2014
Ethene, 1,1,2-trichloro-	Developmental toxin. 04 2014
Oxirane, 2-(chloromethyl)-	Carcinogenic. 05 2011
Oxirane, 2-(chloromethyl)-	Male reproductive toxin. 03 2008

#### US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
Ethene, 1,1,2-trichloro-
Butane
Propane

#### US. Massachusetts RTK - Substance List

<u>Chemical Identity</u>
Ethene, 1,1,2-trichloro-
Oxirane, 2-(chloromethyl)-

#### US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u>
Ethene, 1,1,2-trichloro-
Butane
Propane

#### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

##### Montreal protocol

Not applicable

##### Stockholm convention

Not applicable

##### Rotterdam convention

Not applicable



**Kyoto protocol**  
Not applicable

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

**16. Other information, including date of preparation or last revision**

**Issue Date:** 10/15/2019

**Revision Information:** No data available.

**Version #:** 1.0

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.