



SAFETY DATA SHEET

1. Identification

Product identifier: Cucumber Melon Metered Air Freshener

Other means of identification

SDS number: RE1000004511

Recommended restrictions

Product Use: Air Freshener
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: Sprayway, Inc.
Address: 1000 INTEGRAM DR
Pacific, MO 63069
Telephone: 630-628-3000
Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A
Toxic to reproduction Category 2
Specific Target Organ Toxicity -
Single Exposure Category 3¹

Target Organs

1. Narcotic effect.

Environmental Hazards

Acute hazards to the aquatic environment Category 3

Label Elements

Hazard Symbol:





| | |
|---|--|
| Signal Word: | Danger |
| Hazard Statement: | Extremely flammable aerosol. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. Harmful to aquatic life. |
| Precautionary Statements | |
| Prevention: | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment. |
| Response: | IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. |
| Storage: | Protect from sunlight. Do not expose to temperatures exceeding 50 oC/122oF. Store locked up. Store in a well-ventilated place. Keep container tightly closed. |
| Disposal: | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| Hazard(s) not otherwise classified (HNOC): | None. |

3. Composition/information on ingredients



Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|---|------------|-------------------------|
| 2-Propanone | 67-64-1 | 50 - <100% |
| Propane | 74-98-6 | 10 - <20% |
| Butane | 106-97-8 | 10 - <20% |
| Benzenepropanal, 4-(1,1-dimethylethyl)- α -methyl- | 80-54-6 | 0.1 - <1% |
| Benzenepropanal, α -methyl-4-(1-methylethyl)- | 103-95-7 | 0.1 - <1% |
| Heptanal, 2-(phenylmethylene)- | 122-40-7 | 0.1 - <1% |
| Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl- | 1222-05-5 | 0.1 - <1% |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | 84-66-2 | 0.1 - <1% |
| Proprietary | | 0.1 - <1% |
| Acetic acid, phenylmethyl ester | 140-11-4 | 0.1 - <1% |
| Ethanol, 2,2',2''-nitrilotris- | 102-71-6 | 0 - <0.1% |
| Acetic acid, butyl ester | 123-86-4 | 0 - <0.1% |
| Ethanol, 2,2'-iminobis- | 111-42-2 | 0 - <0.1% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

| | |
|----------------------|--|
| Ingestion: | Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. |
| Inhalation: | Move to fresh air. |
| Skin Contact: | Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention. |
| Eye contact: | Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention. |

Most important symptoms/effects, acute and delayed

| | |
|------------------|--------------------|
| Symptoms: | No data available. |
| Hazards: | No data available. |

Indication of immediate medical attention and special treatment needed

| | |
|-------------------|--------------------|
| Treatment: | No data available. |
|-------------------|--------------------|

5. Fire-fighting measures

| | |
|------------------------------|---|
| General Fire Hazards: | Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk. |
|------------------------------|---|



Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures: Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.

7. Handling and storage

Precautions for safe handling: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Store locked up. Aerosol Level 3

8. Exposure controls/personal protection

Control Parameters



Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source |
|-------------------|--------------|---|--|
| 2-Propanone | STEL | 1,000 ppm 2,400 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 750 ppm 1,780 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | PEL | 1,000 ppm 2,400 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | AN ESL | 2,000 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | TWA | 250 ppm | US. ACGIH Threshold Limit Values (03 2015) |
| | TWA | 750 ppm 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | Ceiling | 3,000 ppm | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | STEL | 500 ppm | US. ACGIH Threshold Limit Values (03 2015) |
| | TWA PEL | 500 ppm 1,200 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | ST ESL | 7,800 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | AN ESL | 4,800 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | TWA | 750 ppm 1,800 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | ST ESL | 3,300 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | REL | 250 ppm 590 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | STEL | 1,000 ppm 2,400 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| Propane | REL | 1,000 ppm 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA PEL | 1,000 ppm 1,800 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | TWA | 1,000 ppm 1,800 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | TWA | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Butane | REL | 800 ppm 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 800 ppm 1,900 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | STEL | 1,000 ppm | US. ACGIH Threshold Limit Values (03 2018) |
| | TWA | 800 ppm 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | AN ESL | 3,000 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | AN ESL | 7,100 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | TWA PEL | 800 ppm 1,900 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| ST ESL | 66,000 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) | |



| | | | |
|---|---------|-------------------|--|
| | ST ESL | 28,000 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | REL | 5 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 5 mg/m3 | US. ACGIH Threshold Limit Values (2008) |
| | TWA PEL | 5 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | TWA | 5 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | TWA | 5 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | ST ESL | 50 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | AN ESL | 5 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| Acetic acid, phenylmethyl ester | TWA | 10 ppm | US. ACGIH Threshold Limit Values (2008) |
| | TWA PEL | 10 ppm 61 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | ST ESL | 100 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | AN ESL | 10 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | ST ESL | 610 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | AN ESL | 61 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| Ethanol, 2,2',2''-nitrilotris- | TWA PEL | 5 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | ST ESL | 50 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | TWA | 5 mg/m3 | US. ACGIH Threshold Limit Values (2008) |
| | AN ESL | 5 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| Acetic acid, butyl ester | REL | 150 ppm 710 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 150 ppm 710 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | PEL | 150 ppm 710 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 50 ppm | US. ACGIH Threshold Limit Values (03 2016) |
| | TWA PEL | 150 ppm 710 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | TWA | 150 ppm 710 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | STEL | 200 ppm 950 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | ST ESL | 2,300 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | ST ESL | 11,000 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | AN ESL | 1,400 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |



| | | | | |
|---|---------|----------|-----------|--|
| | STEL | 200 ppm | 950 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | STEL | 200 ppm | 950 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 150 ppm | | US. ACGIH Threshold Limit Values (03 2016) |
| | STEL | 200 ppm | 950 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | AN ESL | | 290 ppb | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| Ethanol, 2,2'-iminobis- - Inhalable fraction and vapor. | TWA | | 1 mg/m3 | US. ACGIH Threshold Limit Values (2009) |
| Ethanol, 2,2'-iminobis- | REL | 3 ppm | 15 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 3 ppm | 15 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | TWA | 3 ppm | 15 mg/m3 | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008) |
| | TWA PEL | 0.46 ppm | 2 mg/m3 | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006) |
| | AN ESL | | 7 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |
| | ST ESL | | 97 µg/m3 | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016) |

Biological Limit Values

| Chemical Identity | Exposure Limit Values | Source |
|---|-----------------------|---------------------|
| 2-Propanone (acetone: Sampling time: End of shift.) | 25 mg/l (Urine) | ACGIH BEL (03 2015) |

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:

Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye/face protection:

Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection:

No data available.

Other:

No data available.

Respiratory Protection:

In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures:

Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.



9. Physical and chemical properties

Appearance

| | |
|--|-------------------------------------|
| Physical state: | liquid |
| Form: | Spray Aerosol |
| Color: | No data available. |
| Odor: | No data available. |
| Odor threshold: | No data available. |
| pH: | No data available. |
| Melting point/freezing point: | No data available. |
| Initial boiling point and boiling range: | No data available. |
| Flash Point: | -104.44 °C |
| Evaporation rate: | No data available. |
| Flammability (solid, gas): | No data available. |
| Upper/lower limit on flammability or explosive limits | |
| Flammability limit - upper (%): | No data available. |
| Flammability limit - lower (%): | No data available. |
| Explosive limit - upper (%): | No data available. |
| Explosive limit - lower (%): | No data available. |
| Vapor pressure: | 3,102.6408 - 4,481.5922 hPa (20 °C) |
| Vapor density: | No data available. |
| Density: | No data available. |
| Relative density: | No data available. |
| Solubility(ies) | |
| Solubility in water: | No data available. |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Auto-ignition temperature: | No data available. |
| Decomposition temperature: | No data available. |
| Viscosity: | No data available. |

10. Stability and reactivity

| | |
|-------------------------------------|---|
| Reactivity: | No data available. |
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |
| Hazardous Decomposition Products: | No data available. |



11. Toxicological information

Information on likely routes of exposure

- Inhalation:** No data available.
- Skin Contact:** No data available.
- Eye contact:** No data available.
- Ingestion:** No data available.

Symptoms related to the physical, chemical and toxicological characteristics

- Inhalation:** No data available.
- Skin Contact:** No data available.
- Eye contact:** No data available.
- Ingestion:** No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

- Oral**
 - Product:** Not classified for acute toxicity based on available data.
- Dermal**
 - Product:** Not classified for acute toxicity based on available data.
- Inhalation**
 - Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity
Product: No data available.

Skin Corrosion/Irritation
Product: No data available.

Serious Eye Damage/Eye Irritation
Product: No data available.

Respiratory or Skin Sensitization
Product: No data available.

Carcinogenicity
Product: No data available.



IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.



Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil:

No data available.

Known or predicted distribution to environmental compartments

2-Propanone No data available.

Propane No data available.

Butane No data available.

Benzenepropanal, 4-(1,1-

dimethylethyl)- α -methyl-

Benzenepropanal, α -

methyl-4-(1-methylethyl)-

Heptanal, 2-

(phenylmethylene)-

Cyclopenta[g]-2-

benzopyran, 1,3,4,6,7,8-

hexahydro-4,6,6,7,8,8-

hexamethyl-

1,2-Benzenedicarboxylic

acid, 1,2-diethyl ester

Proprietary No data available.

Acetic acid, phenylmethyl

ester No data available.

Ethanol, 2,2',2''-nitrilotris-

Acetic acid, butyl ester

Ethanol, 2,2'-iminobis-

Other adverse effects:

Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging:

No data available.



14. Transport information

DOT

| | |
|-------------------------------|---------------------|
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es) | |
| Class: | 2.1 |
| Label(s): | – |
| Packing Group: | II |
| Marine Pollutant: | No |
| Environmental Hazards: | No |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

IMDG

| | |
|-------------------------------|---------------------|
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es) | |
| Class: | 2 |
| Label(s): | – |
| EmS No.: | |
| Packing Group: | – |
| Environmental Hazards: | No |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

IATA

| | |
|-------------------------------|---------------------|
| UN Number: | UN 1950 |
| Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es): | |
| Class: | 2.1 |
| Label(s): | – |
| Packing Group: | – |
| Environmental Hazards: | No |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.



CERCLA Hazardous Substance List (40 CFR 302.4):

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|---|----------------------------|
| 2-Propanone | lbs. 5000 |
| Propane | lbs. 100 |
| Butane | lbs. 100 |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | lbs. 1000 |
| Acetic acid, butyl ester | lbs. 5000 |
| Ethanol, 2,2'-iminobis- | lbs. 100 |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Fire Hazard
- Immediate (Acute) Health Hazards
- Delayed (Chronic) Health Hazard
- Flammable aerosol
- Serious Eye Damage/Eye Irritation
- Toxic to reproduction
- Specific Target Organ Toxicity - Single Exposure

SARA 302 Extremely Hazardous Substance

| <u>Chemical Identity</u> | <u>Reportable quantity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|----------------------------|------------------------------------|
| 2-Propanone | | |

SARA 304 Emergency Release Notification

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|---|----------------------------|
| 2-Propanone | lbs. 5000 |
| Propane | lbs. 100 |
| Butane | lbs. 100 |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | lbs. 1000 |
| Acetic acid, butyl ester | lbs. 5000 |
| Ethanol, 2,2'-iminobis- | lbs. 100 |



SARA 311/312 Hazardous Chemical

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|---|------------------------------------|
| 2-Propanone | 10000 lbs |
| Propane | 10000 lbs |
| Butane | 10000 lbs |
| Benzenepropanal, 4-(1,1-dimethylethyl)- α -methyl- | 10000 lbs |
| Benzenepropanal, α -methyl-4-(1-methylethyl)- | 10000 lbs |
| Heptanal, 2-(phenylmethylene)- | 10000 lbs |
| Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl- | 10000 lbs |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | 10000 lbs |
| Proprietary | 10000 lbs |
| Acetic acid, phenylmethyl ester | 10000 lbs |
| Ethanol, 2,2',2''-nitrilotris- | 10000 lbs |
| Acetic acid, butyl ester | 10000 lbs |
| Ethanol, 2,2'-iminobis- | 10000 lbs |

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethanol, 2,2'-iminobis- Carcinogenic. 07 2012

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

2-Propanone
Propane
Butane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

2-Propanone
Propane
Butane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations



Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

Inventory Status:

| | |
|--|--|
| Australia AICS: | Not in compliance with the inventory. |
| Canada DSL Inventory List: | On or in compliance with the inventory |
| EINECS, ELINCS or NLP: | Not in compliance with the inventory. |
| Japan (ENCS) List: | Not in compliance with the inventory. |
| China Inv. Existing Chemical Substances: | Not in compliance with the inventory. |
| Korea Existing Chemicals Inv. (KECI): | Not in compliance with the inventory. |
| Canada NDSL Inventory: | Not in compliance with the inventory. |
| Philippines PICCS: | Not in compliance with the inventory. |
| US TSCA Inventory: | On or in compliance with the inventory |
| New Zealand Inventory of Chemicals: | Not in compliance with the inventory. |
| Japan ISHL Listing: | Not in compliance with the inventory. |
| Japan Pharmacopoeia Listing: | Not in compliance with the inventory. |
| Mexico INSQ: | Not in compliance with the inventory. |
| Ontario Inventory: | Not in compliance with the inventory. |
| Taiwan Chemical Substance Inventory: | Not in compliance with the inventory. |

16. Other information, including date of preparation or last revision

Issue Date: 04/15/2019

SDS_US - RE1000004511



Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.