

Version 5.0	Revision Date 02/21/2018	Print Date 10/19/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07309 ZP PAR NC 010701_12CS 20N12		
Material number	:	0000000000010701		
Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137		
Telephone	:	404-352-1680		

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear, light cream
Odour	solvent-like

GHS Classification

Flammable aerosols	:	Category 1
Gases under pressure	:	Liquefied gas
Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Specific target organ toxicity -	:	Category 3 (Central nervous system)
single exposure		

GHS label elements

Hazard pictograms

Signal word

: Danger



Version 5.0	Revision Date 02/21/2018	Print Date 10/19/2022
Hazard statements :	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; ma H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizzine 	
Precautionary statements :	 Prevention: P210 Keep away from heat/sparks/oper No smoking. P211 Do not spray on an open flame of P251 Pressurized container: Do not pier use. P261 Avoid breathing dust/ fume/ gas/ P264 Wash skin thoroughly after handlif P271 Use only outdoors or in a well-ver P280 Wear protective gloves/ eye proter Response: P302 + P352 IF ON SKIN: Wash with p P304 + P340 + P312 IF INHALED: Ren and keep comfortable for breathing. Ca CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rins for several minutes. Remove contact le easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Ga attention. P362 Take off contaminated clothing an Storage: P410 + P412 Protect from sunlight. Do temperatures exceeding 50 °C/ 122 °F. P403 Store in a well-ventilated place. Disposal: P501 Dispose of contents/container in a regulation. 	r other ignition source. erce or burn, even after mist/ vapours/ spray. ing. ntilated area. ection/ face protection. ection/ face protection. olenty of soap and water. nove person to fresh air II a POISON e cautiously with water inses, if present and et medical advice/ Get medical advice/ nd wash before reuse. not expose to

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Concentration [%]
67-64-1	>= 30 - < 50
64742-49-0	>= 30 - < 50
74-98-6	>= 10 - < 20
106-97-8	>= 10 - < 20
142-82-5	>= 1 - < 5
	67-64-1 64742-49-0 74-98-6 106-97-8

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES



Version 5.0		Revision Date 02/21/2018	Print Date 10/19/2022
General advice	:	Move out of dangerous area. Show this safety data sheet to the Do not leave the victim unattended	
If inhaled	:	Consult a physician after significan If unconscious, place in recovery p advice.	
In case of skin contact	:	If skin irritation persists, call a phys Wash off immediately with plenty o minutes. Remove contaminated clothing and Wash contaminated clothing before	f water for at least 15 d shoes.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s Rinse immediately with plenty of wa for at least 15 minutes.	
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physicia Take victim immediately to hospita DO NOT induce vomiting unless di physician or poison control center.	n. I.
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed Symptoms may include irritation, re Causes serious eye irritation. Causes skin irritation. Review section 2 of SDS to see all	edness, pain, and rash.
Notes to physician	:	Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	ər
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	



Version 5.0	Revision Date 02/21/2018	Print Date 10/19/2022
Further information	: Collect contaminated fire extinguish must not be discharged into drains. Fire residues and contaminated fire	extinguishing water must
	be disposed of in accordance with l For safety reasons in case of fire, c separately in closed containments. Use a water spray to cool fully clos	ans should be stored
Special protective equipment for firefighters	: Wear self-contained breathing appa necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.



A07309 ZP PAR NC 010701_12CS 20N12

Version 5.0

Revision Date 02/21/2018

Print Date 10/19/2022

Materials to avoid

: Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters /	Basis
		exposure)	Permissible concentration	
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		PEL	800 ppm 1,900 mg/m3	CAL PEL
heptane	142-82-5	TWA	85 ppm 350 mg/m3	NIOSH REL
		C	440 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		STEL	500 ppm 2,000 mg/m3	OSHA P0
		PEL	400 ppm 1,600 mg/m3	CAL PEL
		STEL	500 ppm 2,000 mg/m3	CAL PEL
		TWA	400 ppm	ACGIH



A07309 ZP PAR NC 010701_12CS 20N12

Version 5.0	Re	evision Date 02/21/20	Print Date 10/19/2022		
1	I	STEL	500 ppm	ACGIH	-

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI
Engineering measures	s : eff	ective ventilation	on in all proc	essing area	S	

Personal prote	ctive equipment
----------------	-----------------

Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks	Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	Safety glasses Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.
Skin and body protection	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	General industrial hygiene practice.
	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear, light cream
Odour	: solvent-like
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: not determined



A07309 ZP PAR NC 010701_12CS 20N12

Version 5.0	Revision Date 02/21/2018	Print Date 10/19/2022
Boiling point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
	No data available	
Relative vapour density	: No data available	
Density	: 0.7438 g/cm3	
Solubility(ies)		
Water solubility	: slightly soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 43.83 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	 Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Respiratory or skin sensitisation



A07309 ZP PAR NC 010701_12CS 20N12

Version 5.0	Revision Date 02/21/2018	Print Date 10/19/2022
Potential Health Effects		
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	: Effects are immediate and delayed Symptoms may include irritation, re	
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
OSHA	No component of this product present equal to 0.1% is on OSHA's list of reg	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	at levels greater than or
cute toxicity		
Components:		
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
heptane: Acute inhalation toxicity	: LC50 Rat: 103 mg/l Exposure time: 4 h	
kin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
erious eye damage/eye irritati	on	
Product:		
Remarks: Severe eye irritatio	n	
ospiratory or skin consitisation		



Version 5.0	Revision Date 02/21/2018	Print Date 10/19/2022
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data available		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
Components:	
butane :	
Partition coefficient: n- octanol/water	: Pow: 2.89
heptane :	
Partition coefficient: n- octanol/water	: log Pow: 5
Mobility in soil	

No data available

Other adverse effects



Version 5.0	Revision Date 02/21/2018	Print Date 10/19/2022
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.



Version 5.0

Revision Date 02/21/2018

Print Date 10/19/2022

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	 Flammable (gases, aerosols, liquids, or solids) Gases under pressure Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
	WARNING: This product can expose you to chemicals



WARNING: This product can expose you to chemicals including styrene, benzene, which is/are known to the State of California to cause cancer, and toluene, benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.



A07309 ZP PAR NC 010701_12CS 20N12

Version 5.0

Revision Date 02/21/2018


Print Date 10/19/2022

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION





HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	:
	 Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/ vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Wear protective gloves/eye protection/face protection. Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and w ash before reuse. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	5.0
Revision Date:	02/21/2018
Print Date:	10/19/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this



Version 5.0

Revision Date 02/21/2018

Print Date 10/19/2022

document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.